

# Beechcraft Suppliers Approved For Special Processing

AAA PLATING & INSPECTION INC  
 424 E DIXON ST  
 COMPTON CA  
 90222 310-637-1066

Vendor Code  
 106297

| QA Code | Description                                 | Specification                         |
|---------|---|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL            | MIL-A-8625, AMS 2469                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N     | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 31A     | CD PL, BRUSH                                | MIL-STD-865, AMS 2451/4               |
| 31B     | CD PL, TYPE I,II                            | QQ-P-416, AMS 2400, AMS 2401          |
| 31D     | CD PL, VACUUM DEPOSITED                     | MIL-C-8837, AMS 2426                  |
| 32A     | PAINT                                       | BS361                                 |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                            |
| 35C     | NDI: MAGNETIC PARTICLE                      | ASTM E1444                            |

ACCUFLEET TESTING SERVICES  
 1959 SOUTH STARPOINT DR  
 HOUSTON TX  
 77032 281-999-8800

Vendor Code  
 10065538

| QA Code | Description               | Specification      |
|---------|---------------------------|--------------------|
| 23A     | BURN TEST: INTERIOR MTRLS | BS 414, FAR 25.853 |

ACORN SURFACE TECHNOLOGY LTD  
CLOVER STREET KIRBY IN ASHFIELD  
NOTTINGHAM

162-375-3107

Vendor Code

10059425

| QA Code | Description                          | Specification |
|---------|--------------------------------------|---------------|
| 12W     | DE-OXIDATION OF ALUMINIUM ALLOYS     | BAEP9225      |
| 3A      | NDT USING ANODISING                  | BAEP0002      |
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION | BAEP2501      |
| 4A      | CHROMIC ACID ANODIZING               | BAEP0002      |
| 4B      | HARD ANODIZING                       | BAEP0012      |
| 4I      | FLEXIBLE PERMEABLE PAINTING          | BAEP3528      |
| 4R      | ALOCROM 1200                         | BAEP0004      |
| 4T      | APPLICATION OF PRIMER                | BAEP3527      |

ACUREN INSPECTION  
4830 CRITTENDEN DRIVE  
LOUISVILLE KY  
40209 317-890-9729

Vendor Code

10134198

| QA Code | Description            | Specification           |
|---------|------------------------|-------------------------|
| 35B     | NDI: FLUORESCENT       | ASTM E1417              |
| 35C     | NDI: MAGNETIC PARTICLE | ASTM E1444              |
| 35D     | NDI: RADIOGRAPHIC      | MIL-STD-453, ASTM E1742 |

ACUREN USI REGION  
705 ALBANY ST  
DAYTON OH  
45417 937-228-9729

Vendor Code

10127469

| QA Code | Description                      | Specification           |
|---------|----------------------------------|-------------------------|
| 35B     | NDI: FLUORESCENT                 | ASTM E1417              |
| 35C     | NDI: MAGNETIC PARTICLE           | ASTM E1444              |
| 35D     | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742 |
| XRI     | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742             |

ADVANCED WELDING TECHNOLOGIES LLC  
 2020 W 2ND STREET  
 WICHITA KS  
 67203 316-262-3490

Vendor Code  
 10100380

| QA Code | Description                                   | Specification                |
|---------|---|------------------------------|
| 2211    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_390-364328-0001 |
| 2219    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_45-364263-3     |
| 2220    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_101-580280-5    |
| 2224    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4 P/N 104-410064-5    |
| 2225    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4 P/N 99-820051-13    |
| 2226    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4 P/N 50-580039-11    |
| 22I     | BRZG: TORCH                                   | MIL-B-7883, AWS C3.4         |
| 36B1    | WLDG: FUSION - AL ALY                         | BS 510                       |
| 36D1    | WLDG: FUSION - STEEL ALY                      | BS 511                       |

AEI APEX COMPOSITES INTL LLC  
 414 CHAMBER LOOP DR  
 ADA OK  
 74820 580-436-6444

Vendor Code  
 10102851

| QA Code | Description                                     | Specification                    |
|---------|---|----------------------------------|
| 24A     | CHEM MILL: AL ALY                               | COMMERCIAL PRACTICE, AMS-C-81769 |
| 25G     | SURF PREP MTL PRIOR ADHESIVE BOND<br>NONANODIZE | BS 25210                         |
| 32A     | PAINT   | BS361                            |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL     | MIL-F-18264                      |
| 32A9    | CORROSION INHIBIT ADHESIVE PRIMER               | BS23865                          |
| 32D     | PRIMER  | MIL-P-23377; MIL-PRF-23377       |

AERNNOVA COMPONENTES MEXICO SA D  
 AV INDUSTRIA DE LA TRANSFORMACION  
 QUERETARO QRO  
 76220 5.2442227288e+11

Vendor Code  
 10131053

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

|      |  |                                    |
|------|--|------------------------------------|
| 25B  | ANDZ, TYPE I - AL                                | MIL-A-8625,AMS 2470                |
| 25H  | CVRSN COAT, CLASS 1A-AL                          | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I  | CVRSN COAT, CLASS 3-AL                           | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 27F4 | FORMING AL ALLOYS: SUB-AMBIENT (COLD)<br>FORMING | BS 311327                          |
| 27G  | FRMING/STRAIGHTENING AL ALY: HOT FORMING         | P1103                              |
| 27G1 | FRMING/STRAIGHTENING AL ALY: COLD FORMING        | P1103                              |
| 28C2 | HT: AL ALY, WROUGHT                              | TP1102                             |
| 30A  | PEENING: ROTARY FLAP                             | MIL-R-81841                        |
| 30B  | PEENING: SHOT                                    | MIL-S-13165, AMS 2430              |
| 30B1 | PEENING: SHOT                                    | AMS-S-13165                        |
| 32A  | PAINT  | BS361                              |
| 32A1 | PAINT: AIRCRAFT INTEGRAL FUEL TANKS              | MIL-C-27725, AMS-C-27725           |
| 32A5 | CORROSION RESIST FUEL CELL EPOXY PRIMER          | BS25032                            |
| 32A6 | FINISH PROC. FOR MODELS USING URETHANE           | BS22455                            |
| 32D  | PRIMER   | MIL-P-23377; MIL-PRF-23377         |
| 32D1 | EPOXY TOP COAT                                   | MIL-PRF-22750                      |
| 34C  | CHEMICAL SPECTROCHEMICAL ANALYSIS                | STANDARD PRACTICE                  |
| 34F  | HARDNESS   | TP1601                             |
| 34G  | MECHANICAL                                       | ASTM E8                            |
| 34J  | SALT SPRAY                                       | ASTM B117                          |
| 35B  | NDI: FLUORESCENT                                 | ASTM E1417                         |
| 35B1 | NDI: CHEMICAL PRE-ETCH                           | BS25691                            |
| 3J   | CONDUCTIVITY TESTING                             | MIL-STD-1537                       |

AERO TECH ENGINEERING INC  
 5555 N 119TH ST W, PO BOX 347  
 MAIZE KS  
 67101 316-942-8604-104

Vendor Code  
 10130784

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |
| 34F     | HARDNESS                                      | TP1601        |
| 3J      | CONDUCTIVITY TESTING                          | MIL-STD-1537  |

AEROCRAFT HEAT TREATING CO INC  
 15701 MINNESOTA AVE  
 PARAMOUNT CA  
 90723 562-634-3311

Vendor Code  
 10117071

| QA Code | Description                     | Specification                         |
|---------|---------------------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28EA    | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28G     | STRESS RELIEF                   | BS25526                               |
| 28H1    | HT:TI ALY ANEALING&STRS RELIEF  | MIL-H-81200, AMS-H-81200A             |
| 28H2    | HT:TI ALY ANEALING&STRS RELIEF  | AMS 2801                              |
| 28M3    | HT: STL ANNEALING&NORMALIZING   | MIL-H-6875 CL-A & AMS-H-6875 CL-A     |
| 28R     | NICKEL AND COBALT               | AMS2774                               |
| 34E     | HARDNESS, MICRO                 | ASTM E384                             |
| 34F     | HARDNESS                        | TP1601                                |

AEROMET CASTINGS LTD  
 21 LAKER ROAD  
 ROCHESTER KE  
 01795 415020

Vendor Code  
 10131244

| QA Code | Description   | Specification |
|---------|---------------|---------------|
| 3B      | DYE PENETRANT | BAEP2501      |

|    |  |          |
|----|--|----------|
| 3C | FLUORESCENT DYE PENETRANT INSPECTION     | BAEP2501 |
| 8S | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A     |

AEROMET INTERNATIONAL PLC  
 EUROLINK WAY  
 SITTINGBOURNE KE  
 44 (0) 1796 4...

Vendor Code  
 10088563

| QA Code | Description                           | Specification |
|---------|---------------------------------------|---------------|
| 3D      | HARDNESS TESTING                      | BAEP9226      |
| 5B      | SOLUTION TREATMENT (ALUMINIUM ALLOYS) | BAEP9006      |
| 5C      | PRECIPITATION (ALUMINIUM ALLOYS)      | BAEP9006      |
| 6C      | FUSION WELDING ALUMINIUM ALLOY        | BAEP4521      |
| 6G      | FUSION WELDING MAGNESIUM ALLOY        | BAEP4521      |

AEROSPACE SURFACE TREATMENTS LTD  
 CHELMSFORD INDUSTRIAL PARK  
 CHELMSFORD ES  
 01279 681 681

Vendor Code  
 10132725

| QA Code | Description                              | Specification |
|---------|--|---------------|
| 12L     | PICKLING OF TITANIUM                     | BAEP9056      |
| 12O     | PASSIVATION                              | BAEP1516      |
| 12W     | DE-OXIDATION OF ALUMINIUM ALLOYS         | BAEP9225      |
| 3A      | NDT USING ANODISING                      | BAEP0002      |
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION     | BAEP2501      |
| 3E      | MAGNETIC FLAW DETECTION                  | BAEP2502      |
| 3H      | FLAW DETECTION (BY ETCHING) (NITAL ETCH) | BAEP4544      |
| 4A      | CHROMIC ACID ANODIZING                   | BAEP0002      |
| 4C      | SULPHURIC ACID ANODIZING                 | BAEP0003      |
| 4F      | CADMIUM PLATING (UNDER 65 TON F/IN2)     | BAEP1514      |
| 4G      | CADMIUM PLATING (65-90 TON F/IN2)        | BAEP1514      |

|    |                                     |          |
|----|-------------------------------------|----------|
| 4H | CADMIUM PLATING (OVER 90 TON F/IN2) | BAEP1514 |
| 4I | FLEXIBLE PERMEABLE PAINTING         | BAEP3528 |
| 4J | CADMIUM PLATING STAINLESS STEEL     | BAEP1514 |
| 4N | NICKEL STRIKE PRIOR TO CAD PLATE    | BAEP1512 |
| 4R | ALOCROM 1200                        | BAEP0004 |
| 4T | APPLICATION OF PRIMER               | BAEP3527 |
| 4U | PHOSPHATE COATING                   | BAEP0006 |
| 4V | ALUMINIUM SPRAYING                  | BAEP1518 |
| 4X | ZINC SPRAYING                       | BAEP1517 |
| 4Y | CHROMIC/SULPHURIC PICKLING          | BAEP9099 |
| 5O | DE-EMBRITTEMENT (FERROUS ALLOYS)    | BAEP1514 |

AEROTECH INSPECTION & NDT  
21 CHARLTRON DR  
CRADLEY HEATH WM  
1384 564021

Vendor Code  
10101099

| QA Code | Description       | Specification           |
|---------|-------------------|-------------------------|
| 35D     | NDI: RADIOGRAPHIC | MIL-STD-453, ASTM E1742 |

|    |                                      |          |
|----|--------------------------------------|----------|
| 3C | FLUORESCENT DYE PENETRANT INSPECTION | BAEP2501 |
|----|--------------------------------------|----------|

|    |                         |          |
|----|-------------------------|----------|
| 3E | MAGNETIC FLAW DETECTION | BAEP2502 |
|----|-------------------------|----------|

AF FASTENERS LTD (GBP)  
UNIT 14 15 GLOSSOP BROOK BUS PK  
GLOSSOP DB  
145-789-1500

Vendor Code  
10029038

| QA Code | Description                                | Specification |
|---------|--|---------------|
| 19J     | MANUFACTURE OF DHS FASTENERS WITH HT TREAT | .N/A          |

|    |                  |          |
|----|------------------|----------|
| 3D | HARDNESS TESTING | BAEP9226 |
|----|------------------|----------|

|    |                         |          |
|----|-------------------------|----------|
| 3E | MAGNETIC FLAW DETECTION | BAEP2502 |
|----|-------------------------|----------|

|    |  |      |
|----|--|------|
| 8S | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A |
|----|--|------|

AIR CAPITAL CERTIFICATION SERVICES  
 2946 S HYDRAULIC ST  
 WICHITA KS  
 67216 316-524-4466

Vendor Code  
 10133305

| QA Code | Description               | Specification      |
|---------|---------------------------|--------------------|
| 23A     | BURN TEST: INTERIOR MTRLS | BS 414, FAR 25.853 |

AIRCRAFT X RAY LAB INC  
 5216 PACIFIC BLVD  
 HUNTINGTON PARK CA  
 90255 323-587-4141

Vendor Code  
 10091337

| QA Code | Description                                 | Specification                         |
|---------|---|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25J     | CVRSN COAT, MG-DOW 7                        | AMS-M-3171, AMS 2475                  |
| 25K     | CVRSN COAT, MG-DOW 19                       | AMS-M-3171, AMS 2475                  |
| 25N     | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25N1    | PASSIVATE:CORROSION RESIST STLS             | BS4692, ASTM A967                     |
| 32A     | PAINT                                       | BS361                                 |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                            |
| 35B1    | NDI: CHEMICAL PRE-ETCH                      | BS25691                               |
| 35C     | NDI: MAGNETIC PARTICLE                      | ASTM E1444                            |
| 35D     | NDI: RADIOGRAPHIC                           | MIL-STD-453, ASTM E1742               |
| XRI     | X-RAY INTERPRETATION OF CASTINGS            | ASTM E 1742                           |



ALCOA FORGINGS & EXTRUSIONS  
MILFORD STREET  
SHEFFIELD  
114-261-5000

Vendor Code  
10092524

| QA Code | Description                              | Specification |
|---------|--|---------------|
| 3D      | HARDNESS TESTING                         | BAEP9226      |
| 3E      | MAGNETIC FLAW DETECTION                  | BAEP2502      |
| 3G      | ULTRASONIC METHODS                       | BAEP2503      |
| 5G      | HARDENING AND TEMPERING (FERROUS ALLOYS) | BAEP9008      |

ALCOA FORGINGS & EXTRUSIONS  
MEADOWHALL RD  
SHEFFIELD YS  
0114 219 3165

Vendor Code  
10132723

| QA Code | Description             | Specification |
|---------|-------------------------|---------------|
| 3E      | MAGNETIC FLAW DETECTION | BAEP2502      |
| 3G      | ULTRASONIC METHODS      | BAEP2503      |

ALCOA INC  
4879 STATE ST  
BETTENDORF IA  
52722 877-359-7015

Vendor Code  
113616

| QA Code | Description     | Specification              |
|---------|-----------------|----------------------------|
| 35E     | NDI: ULTRASONIC | MIL-STD-2154, AMS-STD-2154 |

ALCOA INC AND AFFILIATED CORP  
6833 W WILLIS RD  
CHANDLER AZ  
85226 765-771-3138

Vendor Code  
10057751

| QA Code | Description          | Specification |
|---------|----------------------|---------------|
| 34F     | HARDNESS             | TP1601        |
| 3J      | CONDUCTIVITY TESTING | MIL-STD-1537  |

ALFE HEAT TREATING  
979 SEVILLE ROAD  
WADSWORTH OH  
44281 330-336-0211

Vendor Code  
10131445

| QA Code | Description      | Specification |
|---------|------------------|---------------|
| 28B2    | HT: AL ALY, CAST | TP1103        |

|      |                     |          |
|------|---------------------|----------|
| 28C1 | HT: AL ALY, WROUGHT | TP1102   |
| 28C2 | HT: AL ALY, WROUGHT | TP1102   |
| 34F  | HARDNESS            | TP1601   |
| 3D   | HARDNESS TESTING    | BAEP9226 |

ALL METALS PROCESSING INC  
8401 STANDUSTRIAL ST  
STANTON CA  
90680 714-828-8238

Vendor Code  
10057432

| QA Code | Description                                 | Specification                      |
|---------|---|------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471               |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472               |
| 25E     | HARD COAT ANODIZE, TYPE III - AL            | MIL-A-8625, AMS 2469               |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 28K     | EMBRITTLEMENT RELIEF                        | BS25526                            |
| 31B     | CD PL, TYPE I,II                            | QQ-P-416, AMS 2400, AMS 2401       |
| 31G     | COPPER PL                                   | MIL-C-14550, AMS 2418              |
| 32A     | PAINT                                       | BS361                              |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                        |
| 32A7    | PAINT, PRIMER, HIGH TEMPERATURE EPOXY       | BS25457                            |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377         |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                         |
| 35B1    | NDI: CHEMICAL PRE-ETCH                      | BS25691                            |
| 35C     | NDI: MAGNETIC PARTICLE                      | ASTM E1444                         |

ALLOY HEAT TREATMENT  
 PEARTREE LN-GRAVEBROOK INDUS EST  
 DUDLEY DY  
 44 1384 456777

Vendor Code  
 101033739

| QA Code | Description                           | Specification |
|---------|---------------------------------------|---------------|
| 5A      | ANNEALING (ALUMINUM ALLOYS)           | BAEP9006      |
| 5B      | SOLUTION TREATMENT (ALUMINIUM ALLOYS) | BAEP9006      |
| 5C      | PRECIPITATION (ALUMINIUM ALLOYS)      | BAEP9006      |
| 5D      | PRE-AGEING (ALUMINIUM ALLOYS)         | BAEP9006      |
| 5L      | STRESS RELIEVING (ALUMINIUM ALLOYS)   | BAEP9006      |
| 5V      | SUPER ANNEALING (ALUMINIUM ALLOYS)    | BAEP9006      |

ALLOY PROCESSING  
 1900 W WALNUT ST  
 COMPTON CA  
 90220 562-633-5966

Vendor Code  
 10091829

| QA Code | Description                                 | Specification                      |
|---------|---|------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471               |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472               |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25L1    | DRI-LUBE-MAGNESIUM                          | MIL-M-45202, ASTM D 1732           |
| 32A     | PAINT                                       | BS361                              |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                        |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377         |
| 34J     | SALT SPRAY                                  | ASTM B117                          |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                         |
| 35B1    | NDI: CHEMICAL PRE-ETCH                      | BS25691                            |

ALLOYWELD INSPECTION CO INC  
796 MAPLE LANE  
BENSENVILLE IL  
60106 630-595-2145

Vendor Code  
10105012

| QA Code | Description                      | Specification              |
|---------|----------------------------------|----------------------------|
| 35B     | NDI: FLUORESCENT                 | ASTM E1417                 |
| 35B1    | NDI: CHEMICAL PRE-ETCH           | BS25691                    |
| 35C     | NDI: MAGNETIC PARTICLE           | ASTM E1444                 |
| 35D     | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742    |
| 35E     | NDI: ULTRASONIC                  | MIL-STD-2154, AMS-STD-2154 |
| XRI     | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742                |

ALUMINUM PRECISION PROD INC  
1001 MCWANE BLVD  
OXNARD CA  
93033 805-488-4401

Vendor Code  
10092662

| QA Code | Description         | Specification |
|---------|---------------------|---------------|
| 28C2    | HT: AL ALY, WROUGHT | TP1102        |
| 34E     | HARDNESS, MICRO     | ASTM E384     |
| 34F     | HARDNESS            | TP1601        |

ALUMINUM PRECISION PRODUCTS  
3333 W WARNER AVE  
SANTA ANA CA  
92704 714-546-8125

Vendor Code  
10010932

| QA Code | Description                       | Specification                                 |
|---------|-----------------------------------|---|
| 28C2    | HT: AL ALY, WROUGHT               | TP1102  |
| 28C4    | HT: AL FORGINGS 7175 ALLOY        | HBC APPROVAL REQUIRED FOR HT OF AL ALLOY 7175 |
| 28G     | STRESS RELIEF                     | BS25526                                       |
| 34C     | CHEMICAL SPECTROCHEMICAL ANALYSIS | STANDARD PRACTICE                             |
| 34F     | HARDNESS                          | TP1601  |
| 34G     | MECHANICAL                        | ASTM E8                                       |

|      |                        |                            |
|------|------------------------|----------------------------|
| 34H  | METALLURGICAL          | AS REQUIRED                |
| 35B  | NDI: FLUORESCENT       | ASTM E1417                 |
| 35B1 | NDI: CHEMICAL PRE-ETCH | BS25691                    |
| 35E  | NDI: ULTRASONIC        | MIL-STD-2154, AMS-STD-2154 |
| 3J   | CONDUCTIVITY TESTING   | MIL-STD-1537               |

|   |                         |
|---|-------------------------|
| AMERICAN HANDFORGE<br>165 S SPRUCE AVE<br>RIALTO CA<br>92376 909-355-0055 | Vendor Code<br>10095627 |
|---|-------------------------|

| QA Code | Description            | Specification |
|---------|------------------------|---------------|
| 28C2    | HT: AL ALY, WROUGHT    | TP1102        |
| 34F     | HARDNESS               | TP1601        |
| 34H     | METALLURGICAL          | AS REQUIRED   |
| 35B     | NDI: FLUORESCENT       | ASTM E1417    |
| 35B1    | NDI: CHEMICAL PRE-ETCH | BS25691       |

|  |                       |
|--|-----------------------|
| ANILLO INDUSTRIES INC<br>2090 N GLASSELL ST<br>ORANGE CA<br>92865 714-637-7000 | Vendor Code<br>104404 |
|--|-----------------------|

| QA Code | Description             | Specification                         |
|---------|-------------------------|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL       | MIL-A-8625,AMS 2470                   |
| 25H     | CVRSN COAT, CLASS 1A-AL | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N     | PICKLE AND PASSIVATE    | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 28G     | STRESS RELIEF           | BS25526                               |
| 28K     | EMBRITTEMENT RELIEF     | BS25526                               |
| 31B     | CD PL, TYPE I,II        | QQ-P-416, AMS 2400, AMS 2401          |
| 31K     | ZINC PLATING            | ASTM B633                             |
| 32D     | PRIMER                  | MIL-P-23377; MIL-PRF-23377            |

ANODYNE INC  
 2230 S SUSAN ST  
 SANTA ANA CA  
 92704 714-549-3321

Vendor Code  
 104377

| QA Code | Description                                 | Specification                         |
|---------|---|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL            | MIL-A-8625, AMS 2469                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N     | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 31B     | CD PL, TYPE I,II                            | QQ-P-416, AMS 2400, AMS 2401          |
| 31G     | COPPER PL                                   | MIL-C-14550, AMS 2418                 |
| 31I     | NICKEL PL                                   | QQ-N-290, AMS 2403                    |
| 31J     | NICKEL, ELECTROLESS PLATE                   | MIL-C-26074                           |
| 31L     | TIN PLATING                                 | AMS 2408                              |
| 32A     | PAINT                                       | BS361                                 |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |

APEL LIMITED (GBP)  
 UNIT 3B BROOKE PARK EPSOM AVE  
 HANDFORTH WILMSLOW CH  
 161-485-4431

Vendor Code  
 10016253

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 19K     | MANUF. OF DHS FASTENERS WITHOUT HT TREAT/PLAT | .N/A          |
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION          | BAEP2501      |
| 3D      | HARDNESS TESTING                              | BAEP9226      |
| 3E      | MAGNETIC FLAW DETECTION                       | BAEP2502      |

APPLIED THERMAL TECH INC  
 2169 NORTH 100 EAST  
 WARSAW IN  
 46582 574-269-7116

Vendor Code  
 10093465

| QA Code | Description                     | Specification                         |
|---------|---------------------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28EA    | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28H1    | HT:TI ALY ANEALING&STRS RELIEF  | MIL-H-81200, AMS-H-81200A             |
| 28H2    | HT:TI ALY ANEALING&STRS RELIEF  | AMS 2801                              |

APPLUS AEROSPACE UK LTD (POOLE)  
 UNIT 18, DAWKINS RD  
 HAMWORTHY DO  
 01202 681971

Vendor Code  
 10134648

| QA Code | Description             | Specification |
|---------|-------------------------|---------------|
| 3B      | DYE PENETRANT           | BAEP2501      |
| 3E      | MAGNETIC FLAW DETECTION | BAEP2502      |

AREMAC HEAT TREATING  
 330 9TH AVE  
 CITY OF INDUSTRY CA  
 91746 626-333-3898

Vendor Code  
 10046368

| QA Code | Description          | Specification                         |
|---------|----------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS      | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28C2    | HT: AL ALY, WROUGHT  | TP1102                                |
| 28EA    | HT: ALLOY STEELS     | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 34F     | HARDNESS             | TP1601                                |
| 3J      | CONDUCTIVITY TESTING | MIL-STD-1537                          |

ARROW LABORATORY INC  
 1333 N MAIN ST  
 WICHITA KS  
 67203 316-267-2893

Vendor Code  
 10011688

| QA Code | Description                           | Specification |
|---------|---------------------------------------|---------------|
| 26H1    | CMPST: TESTING, MECHANICAL, ADHESIVES | ASTM D1002    |

|     |  |                   |
|-----|--|-------------------|
| 34C | CHEMICAL SPECTROCHEMICAL ANALYSIS        | STANDARD PRACTICE |
| 34F | HARDNESS                                 | TP1601            |
| 34G | MECHANICAL                               | ASTM E8           |
| 34J | SALT SPRAY                               | ASTM B117         |
| 34L | WET SOLUTION ANALYSIS                    | AS REQUIRED       |
| 8S  | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A              |

ASHTON & MOORE LTD  
12 SMITH STREET HOCKLEY  
BIRMINGHAM WM  
845-618-8196

Vendor Code  
10060013

| QA Code | Description                                    | Specification                     |
|---------|--|-----------------------------------|
| 12W     | DE-OXIDATION OF ALUMINIUM ALLOYS               | BAEP9225                          |
| 31B2    | CADMIUM PLATING FOR STEEL, TITANIUM & TITANIUM | BAEP1514-2PSD1 (SAE-AMS-QQ-P-416) |
| 3E      | MAGNETIC FLAW DETECTION                        | BAEP2502                          |
| 4A      | CHROMIC ACID ANODIZING                         | BAEP0002                          |
| 4I      | FLEXIBLE PERMEABLE PAINTING                    | BAEP3528                          |
| 4R      | ALOCROM 1200                                   | BAEP0004                          |
| 4T      | APPLICATION OF PRIMER                          | BAEP3527                          |
| 4ZF     | APPLICATION OF POLYURETHANE FINISH             | BAEP3504                          |
| 5W      | STRESS RELIEVING (NICKEL ALLOYS)               | BAEP9009                          |

ASTRO ALUMINUM TREATING CO  
11040 PALMER AVE  
SOUTH GATE CA  
90280 562-923-4344

Vendor Code  
10091827

| QA Code | Description         | Specification |
|---------|---------------------|---------------|
| 28C1    | HT: AL ALY, WROUGHT | TP1102        |
| 28C2    | HT: AL ALY, WROUGHT | TP1102        |
| 34F     | HARDNESS            | TP1601        |



ATI SPECIALTY MATERIALS  
 4374 LANCASTER HWY  
 RICHBURG SC  
 29729 803-789-3595

Vendor Code  
 10094110

| QA Code | Description                     | Specification                         |
|---------|---------------------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A2    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A3    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-C           |
| 28EA    | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28G     | STRESS RELIEF                   | BS25526                               |
| 28Q     | HT: VACCUUM HEAT TREATING       | AMS 2769                              |

ATLAS AEROSPACE LLC  
 4330 W MAY ST  
 WICHITA KS  
 67209 316-942-7931

Vendor Code  
 10014227

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 26F     | CMPST: 2ND BOND RM TEMP                       | BS 23738      |
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |
| 27F4    | FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING | BS 311327     |
| 27G1    | FRMING/STRAIGHTENING AL ALY: COLD FORMING     | P1103         |
| 34F     | HARDNESS                                      | TP1601        |
| 3J      | CONDUCTIVITY TESTING                          | MIL-STD-1537  |

ATLAS AEROSPACE LLC  
 4626 W MAY ST, BLDG D  
 WICHITA KS  
 67209 316-942-7931-298

Vendor Code  
 10086757

| QA Code | Description                 | Specification                  |
|---------|-----------------------------|--------------------------------|
| 27E     | FORMING: HOT - ALLOY STEELS | AS REQUIRED BY RAC ENG.DRAWING |

|      |   |              |
|------|---|--------------|
| 27F1 | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327    |
| 27F3 | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327    |
| 34F  | HARDNESS                                      | TP1601       |
| 36B1 | WLDG: FUSION - AL ALY                         | BS 510       |
| 36B3 | WLDG: FUSION - AL ALY                         | AMS-STD-2219 |
| 36D1 | WLDG: FUSION - STEEL ALY                      | BS 511       |
| 36D2 | WLDG: FUSION - STEEL ALY                      | AMS-STD-2219 |
| 36D3 | WLDG: FUSION - STEEL ALY                      | MIL-STD-2219 |
| 36D4 | WLDG & BRZ: STL ALY STRESS RELIEF             | BS249        |
| 3J   | CONDUCTIVITY TESTING                          | MIL-STD-1537 |

ATLAS TESTING LABORATORIES  
9820 6TH ST  
RANCHO CUCAMONGA CA  
91730 909-373-4130

Vendor Code  
10051537

| QA Code | Description                              | Specification |
|---------|--|---------------|
| 34D     | FRACTURE TOUGHNESS                       | ASTM E399     |
| 34E     | HARDNESS, MICRO                          | ASTM E384     |
| 34F     | HARDNESS                                 | TP1601        |
| 34G     | MECHANICAL                               | ASTM E8       |
| 34H     | METALLURGICAL                            | AS REQUIRED   |
| 34J     | SALT SPRAY                               | ASTM B117     |
| 34K     | SPECTROCHEMICAL ANALYSIS                 | AS REQUIRED   |
| 34L     | WET SOLUTION ANALYSIS                    | AS REQUIRED   |
| 3J      | CONDUCTIVITY TESTING                     | MIL-STD-1537  |
| 8S      | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A          |

ATLAS TOOL INC  
29880 GROESBECK HIGHWAY  
ROSEVILLE MI  
48066 586-778-3570

Vendor Code  
10131640

| QA Code | Description                                   | Specification   |
|---------|---|-----------------|
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327       |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327       |
| 27F4    | FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING | BS 311327       |
| 30H     | LASER BEAM MACHINING (LBM)                    | LBM - AS 7116/4 |

AURORA CASTING & ENGINEERING  
1790 E LEMONWOOD DR  
SANTA PAULA CA  
93060 805-933-2761

Vendor Code  
10012492

| QA Code | Description           | Specification |
|---------|-----------------------|---------------|
| 28B1    | HT: HT: AL ALY, CAST  | TP1103        |
| 28B2    | HT: AL ALY, CAST      | TP1103        |
| 28EB    | HT: ALLOY STEELS      | AMS-H-6875    |
| 34F     | HARDNESS              | TP1601        |
| 34J     | SALT SPRAY            | ASTM B117     |
| 36B1    | WLDG: FUSION - AL ALY | BS 510        |
| 3J      | CONDUCTIVITY TESTING  | MIL-STD-1537  |

AUTOMATIC WELDING CO LP  
17008 S GRAMERCY PL  
GARDENA CA  
90247 310-532-3103

Vendor Code  
10133872

| QA Code | Description           | Specification |
|---------|-----------------------|---------------|
| 36B1    | WLDG: FUSION - AL ALY | BS 510        |

AVALON PRECISION CASTINGS MARKESAN  
1149 N MARGARET ST  
MARKESAN WI  
53946 216-481-8900

Vendor Code  
10107611

| QA Code | Description      | Specification |
|---------|------------------|---------------|
| 35B     | NDI: FLUORESCENT | ASTM E1417    |

|      |                                  |                         |
|------|----------------------------------|-------------------------|
| 35B1 | NDI: CHEMICAL PRE-ETCH           | BS25691                 |
| 35C  | NDI: MAGNETIC PARTICLE           | ASTM E1444              |
| 35D  | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742 |
| XRI  | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742             |

B&B AIRPARTS, INC.  
 1831 S HOOVER CT  
 WICHITA KS  
 67209 316-946-0300

Vendor Code  
 10088403

| QA Code | Description             | Specification |
|---------|-------------------------|---------------|
| 26F     | CMPST: 2ND BOND RM TEMP | BS 23738      |
| 34F     | HARDNESS                | TP1601        |
| 3J      | CONDUCTIVITY TESTING    | MIL-STD-1537  |

BALLARD AVIATION INC  
 22079 TUPPER STREET  
 WINFIELD KS  
 67156 620-221-0052

Vendor Code  
 10134629

| QA Code | Description                            | Specification |
|---------|--|---------------|
| 32A6    | FINISH PROC. FOR MODELS USING URETHANE | BS22455       |

BARRY AVENUE PLATING CO INC  
 2210 BARRY AVE  
 LOS ANGELES CA  
 90064 310-478-0078

Vendor Code  
 10131788

| QA Code | Description                              | Specification                      |
|---------|--|------------------------------------|
| 25B     | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                |
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471               |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472               |
| 25E     | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469               |
| 25F     | BLACK OXIDE CVRSN COAT- STL              | AMS 2485                           |
| 25F1    | BLACK OXIDE CVRSN COAT- STL              | MIL-C-13924, MIL-DTL-13924         |
| 25H     | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473 |

|      |   |                                       |
|------|---|---------------------------------------|
| 25I  | CVRSN COAT, CLASS 3-AL                        | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M  | SOLID FILM, LUBRICANT HEAT CURED              | MIL-PRF-46010                         |
| 25N  | PICKLE AND PASSIVATE                          | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25N1 | PASSIVATE:CORROSION RESIST STLS               | BS4692, ASTM A967                     |
| 25P4 | ZINC PHOS - STL                               | MIL-DTL-16232                         |
| 28G  | STRESS RELIEF                                 | BS25526                               |
| 28K  | EMBRITTELEMENT RELIEF                         | BS25526                               |
| 31B  | CD PL, TYPE I,II                              | QQ-P-416, AMS 2400, AMS 2401          |
| 31B2 | CADMIUM PLATING FOR STEEL, TITANIUM & TITANIU | BAEP1514-2PSD1 (SAE-AMS-QQ-P-416)     |
| 31E  | CRPL, DECORATIVE                              | QQ-C-320                              |
| 31G  | COPPER PL                                     | MIL-C-14550, AMS 2418                 |
| 31I  | NICKEL PL                                     | QQ-N-290, AMS 2403                    |
| 31K  | ZINC PLATING                                  | ASTM B633                             |
| 31L  | TIN PLATING                                   | AMS 2408                              |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL   | MIL-F-18264                           |
| 32D  | PRIMER  | MIL-P-23377; MIL-PRF-23377            |

BEAGLE TECHNOLOGY GROUP (GPB)  
 STONEY LN  
 CHRISTCHURCH DO  
 0

Vendor Code  
 10016378

| QA Code | Description            | Specification |
|---------|------------------------|---------------|
| 4A      | CHROMIC ACID ANODIZING | BAEP0002      |

BODYCOTE LTD  
 MACCLESFIELD ROAD  
 STOCKPORT  
 0161 483 0511

Vendor Code  
 10131247

| QA Code | Description      | Specification |
|---------|------------------|---------------|
| 3D      | HARDNESS TESTING | BAEP9226      |

|    |   |          |
|----|---|----------|
| 5E | ANNEALING (FERROUS ALLOYS)                    | BAEP9008 |
| 5H | NITRIDING (FERROUS ALLOYS)                    | BAEP4509 |
| 5K | NORMALISING (FERROUS ALLOYS)                  | BAEP9008 |
| 5M | PRECIPITATION HARDENING (FERROUS ALLOYS)      | BAEP9008 |
| 5O | DE-EMBRITTEMENT (FERROUS ALLOYS)              | BAEP1514 |
| 5U | STRESS RELIEVING (TITANIUM & TITANIUM ALLOYS) | BAEP9007 |
| 5Y | VACUUM HEAT TREATMENT                         | BAEP9008 |

BODYCOTE HEAT TREATMENTS  
 STILLINGTON  
 STOCKTON ON TEES CLEVELAND  
 1740 630353

Vendor Code  
 10101101

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 34F     | HARDNESS                                      | TP1601        |
| 3D      | HARDNESS TESTING                              | BAEP9226      |
| 3L      | MICRO-HARDNESS TESTING                        | BAEP9226      |
| 5E      | ANNEALING (FERROUS ALLOYS)                    | BAEP9008      |
| 5G      | HARDENING AND TEMPERING (FERROUS ALLOYS)      | BAEP9008      |
| 5K      | NORMALISING (FERROUS ALLOYS)                  | BAEP9008      |
| 5M      | PRECIPITATION HARDENING (FERROUS ALLOYS)      | BAEP9008      |
| 5ZA     | HEAT TREATMENT OF STEELS TO AMS/MIL REQUIREME | MIL-H-6875    |

BODYCOTE HEAT TREATMENTS  
 THERMAL HOUSE COLLIERY LANE  
 COVENTRY  
 2476 367786

Vendor Code  
 10109100

| QA Code | Description                        | Specification |
|---------|------------------------------------|---------------|
| 5E      | ANNEALING (FERROUS ALLOYS)         | BAEP9008      |
| 5N      | STRESS RELIEVING OF FERROUS ALLOYS | BAEP9009      |

BODYCOTE HEAT TREATMENTS CHARD  
CHARD BUSINESS PARK  
CHARD SO  
014 606 7951

Vendor Code  
10134101

| QA Code | Description                              | Specification |
|---------|--|---------------|
| 34E     | HARDNESS, MICRO                          | ASTM E384     |
| 3D      | HARDNESS TESTING                         | BAEP9226      |
| 5E      | ANNEALING (FERROUS ALLOYS)               | BAEP9008      |
| 5G      | HARDENING AND TEMPERING (FERROUS ALLOYS) | BAEP9008      |
| 5K      | NORMALISING (FERROUS ALLOYS)             | BAEP9008      |
| 5M      | PRECIPITATION HARDENING (FERROUS ALLOYS) | BAEP9008      |
| 5N      | STRESS RELIEVING OF FERROUS ALLOYS       | BAEP9009      |
| 5O      | DE-EMBRITTLMENT (FERROUS ALLOYS)         | BAEP1514      |

BODYCOTE HEAT TREATMENTS LIMITED  
QUEENS AVENUE  
MACCLESFIELD CH  
1625 501888

Vendor Code  
10101102

| QA Code | Description                              | Specification                        |
|---------|--|--------------------------------------|
| 28A0    | HT-ALLOY STEELS                          | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |
| 34F     | HARDNESS                                 | TP1601                               |
| 3D      | HARDNESS TESTING                         | BAEP9226                             |
| 5F      | CASE HARDENING (FERROUS ALLOYS)          | BAEP9008                             |
| 5G      | HARDENING AND TEMPERING (FERROUS ALLOYS) | BAEP9008                             |

BODYCOTE HEAT TREATMENTS LTD  
18 WESTGATE  
SKELMERSDALE LA  
1695 721361

Vendor Code  
10101104

| QA Code | Description           | Specification |
|---------|-----------------------|---------------|
| 5Y      | VACUUM HEAT TREATMENT | BAEP9008      |

BODYCOTE HEAT TREATMENTS LTD  
 UNIT2 DENNY IND EST PEMBROKE AVE  
 WATERBEACH CAMBRIDGE  
 122-386-0741

Vendor Code  
 10109104

| QA Code | Description                                      | Specification |
|---------|--|---------------|
| 5E      | ANNEALING (FERROUS ALLOYS)                       | BAEP9008      |
| 5G      | HARDENING AND TEMPERING (FERROUS ALLOYS)         | BAEP9008      |
| 5K      | NORMALISING (FERROUS ALLOYS)                     | BAEP9008      |
| 5M      | PRECIPITATION HARDENING (FERROUS ALLOYS)         | BAEP9008      |
| 5N      | STRESS RELIEVING OF FERROUS ALLOYS               | BAEP9009      |
| 5R      | ANNEALING (TITANIUM & TITANIUM ALLOYS)           | BAEP9007      |
| 5T      | ARTIFICIAL AGE HARDENING (TITANIUM & TITANIUM    | BAEP9007      |
| 5U      | STRESS RELIEVING (TITANIUM & TITANIUM ALLOYS)    | BAEP9007      |
| 5W      | STRESS RELIEVING (NICKEL ALLOYS)                 | BAEP9009      |
| 5X      | ARTIFICIAL AGE HARDENING (NICKEL ALLOYS)         | BAEP9008      |
| 5Y      | VACUUM HEAT TREATMENT                            | BAEP9008      |
| 5Z      | SUPER ANNEALING (TITANIUM ALLOYS)                | BAEP9007      |
| 5ZA     | HEAT TREATMENT OF STEELS TO AMS/MIL<br>REQUIREME | MIL-H-6875    |

BODYCOTE LINDBERG  
 9921 ROMANDEL AVE  
 SANTA FE SPRINGS CA  
 90670 562-946-1717

Vendor Code  
 10091842

| QA Code | Description                     | Specification                        |
|---------|---------------------------------|--------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B          |
| 28A2    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B          |
| 28A3    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-C          |
| 28B1    | HT: HT: AL ALY, CAST            | TP1103                               |



|      |                                |                                   |
|------|--------------------------------|-----------------------------------|
| 28B2 | HT: AL ALY, CAST               | TP1103                            |
| 28C1 | HT: AL ALY, WROUGHT            | TP1102                            |
| 28C2 | HT: AL ALY, WROUGHT            | TP1102                            |
| 28D1 | HT:BERYLLIUM COPPER            | MIL-H-7199, AMS-H-7199            |
| 28D2 | HT:BERYLLIUM COPPER            | AMS 2728                          |
| 28H1 | HT:TI ALY ANEALING&STRS RELIEF | MIL-H-81200, AMS-H-81200A         |
| 28M3 | HT: STL ANNEALING&NORMALIZING  | MIL-H-6875 CL-A & AMS-H-6875 CL-A |
| 34E  | HARDNESS, MICRO                | ASTM E384                         |
| 34F  | HARDNESS                       | TP1601                            |

BODYCOTE THERMAL PROCESSING  
2900 S SUNOL DR  
VERNON CA  
90058 323-264-0111

Vendor Code  
10090600

| QA Code | Description                     | Specification                         |
|---------|---------------------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28A2    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A3    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-C           |
| 28A4    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-D           |
| 28A5    | HT:STAINLESS & PH STAINLESS STL | AMS 2759/3                            |
| 28A6    | HT:STAINLESS & PH STAINLESS STL | AMS 2759/4                            |
| 28D1    | HT:BERYLLIUM COPPER             | MIL-H-7199, AMS-H-7199                |
| 28D2    | HT:BERYLLIUM COPPER             | AMS 2728                              |
| 28EA    | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28EB    | HT: ALLOY STEELS                | AMS-H-6875                            |
| 28H1    | HT:TI ALY ANEALING&STRS RELIEF  | MIL-H-81200, AMS-H-81200A             |
| 28H2    | HT:TI ALY ANEALING&STRS RELIEF  | AMS 2801                              |

|      |                               |             |
|------|-------------------------------|-------------|
| 28K  | EMBRITTLMENT RELIEF           | BS25526     |
| 28M1 | HT: STL ANNEALING&NORMALIZING | AMS 2759/1  |
| 28M2 | HT: STL ANNEALING&NORMALIZING | AMS 2759/2  |
| 34E  | HARDNESS, MICRO               | ASTM E384   |
| 34F  | HARDNESS                      | TP1601      |
| 34H  | METALLURGICAL                 | AS REQUIRED |

BODYCOTE THERMAL PROCESSING INC  
1009 S WEST STREET  
WICHITA KS  
67213 316-943-3288

Vendor Code  
10014782

| QA Code | Description          | Specification |
|---------|----------------------|---------------|
| 28B1    | HT: HT: AL ALY, CAST | TP1103        |
| 28B2    | HT: AL ALY, CAST     | TP1103        |
| 28C1    | HT: AL ALY, WROUGHT  | TP1102        |
| 28C2    | HT: AL ALY, WROUGHT  | TP1102        |
| 34F     | HARDNESS             | TP1601        |

BODYCOTE THERMAL PROCESSING INC  
1019 S MCLEAN BLVD  
WICHITA KS  
67213 316-267-0239

Vendor Code  
10015043

| QA Code | Description                     | Specification                         |
|---------|---------------------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A2    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A4    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-D           |
| 28A6    | HT:STAINLESS & PH STAINLESS STL | AMS 2759/4                            |
| 28EA    | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28H1    | HT:TI ALY ANEALING&STRS RELIEF  | MIL-H-81200, AMS-H-81200A             |

|      |  |                                   |
|------|--|-----------------------------------|
| 28H2 | HT:TI ALY ANEALING&STRS RELIEF           | AMS 2801                          |
| 28I  | HT: AERMET 100                           | AMS 6532                          |
| 28M1 | HT: STL ANNEALING&NORMALIZING            | AMS 2759/1                        |
| 28M2 | HT: STL ANNEALING&NORMALIZING            | AMS 2759/2                        |
| 28M3 | HT: STL ANNEALING&NORMALIZING            | MIL-H-6875 CL-A & AMS-H-6875 CL-A |
| 28N1 | HT: CARBURIZING                          | AMS 2759/7                        |
| 28N3 | HT: CARBURIZING                          | MIL-S-6090                        |
| 34E  | HARDNESS, MICRO                          | ASTM E384                         |
| 34F  | HARDNESS                                 | TP1601                            |
| 34H  | METALLURGICAL                            | AS REQUIRED                       |
| 3D   | HARDNESS TESTING                         | BAEP9226                          |
| 5E   | ANNEALING (FERROUS ALLOYS)               | BAEP9008                          |
| 5G   | HARDENING AND TEMPERING (FERROUS ALLOYS) | BAEP9008                          |
| 5K   | NORMALISING (FERROUS ALLOYS)             | BAEP9008                          |
| 5M   | PRECIPITATION HARDENING (FERROUS ALLOYS) | BAEP9008                          |
| 5N   | STRESS RELIEVING OF FERROUS ALLOYS       | BAEP9009                          |
| 5O   | DE-EMBRITTEMENT (FERROUS ALLOYS)         | BAEP1514                          |

BODYCOTE THERMAL PROCESSING INC  
710 BURNS STREET  
CINCINNATI OH  
45204 513-921-2300

Vendor Code  
10131446

| QA Code | Description                     | Specification                        |
|---------|---------------------------------|--------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B          |
| 28A2    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B          |
| 28B1    | HT: HT: AL ALY, CAST            | TP1103                               |

BODYCOTE THERMAL PROCESSING INC  
200 INDUSTRY LANE  
PRINCETON KY  
42445 270-365-0100

Vendor Code  
10131489

| QACode | Description                    | Specification |
|--------|--------------------------------|---------------|
| 30K    | HOT ISOSTATIC PROCESSING (HIP) | BS25691       |

BODYCOTE THERMAL PROCESSING INC  
4008 CLAY AVE, STE 200  
HALTOM CITY TX  
76117 817-737-6651

Vendor Code  
10131631

| QACode | Description     | Specification                        |
|--------|-----------------|--------------------------------------|
| 28A0   | HT-ALLOY STEELS | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |

|      |                              |            |
|------|------------------------------|------------|
| 28A7 | HT:STAINLESS MARTENSITIC STL | AMS 2759/5 |
|------|------------------------------|------------|

|      |                  |                                       |
|------|------------------|---------------------------------------|
| 28EA | HT: ALLOY STEELS | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
|------|------------------|---------------------------------------|

BODYCOTE THERMAL PROCESSING INC  
7474 GARDEN GROVE BLVD  
WESTMINSTER CA  
92683 714-893-6561

Vendor Code  
112899

| QACode | Description          | Specification |
|--------|----------------------|---------------|
| 28B1   | HT: HT: AL ALY, CAST | TP1103        |

|      |                  |        |
|------|------------------|--------|
| 28B2 | HT: AL ALY, CAST | TP1103 |
|------|------------------|--------|

|      |                     |        |
|------|---------------------|--------|
| 28C1 | HT: AL ALY, WROUGHT | TP1102 |
|------|---------------------|--------|

|      |                     |        |
|------|---------------------|--------|
| 28C2 | HT: AL ALY, WROUGHT | TP1102 |
|------|---------------------|--------|

|     |                 |           |
|-----|-----------------|-----------|
| 34E | HARDNESS, MICRO | ASTM E384 |
|-----|-----------------|-----------|

|     |          |        |
|-----|----------|--------|
| 34F | HARDNESS | TP1601 |
|-----|----------|--------|

|     |               |             |
|-----|---------------|-------------|
| 34H | METALLURGICAL | AS REQUIRED |
|-----|---------------|-------------|

BOWMILL METAL TREATMENTS LTD  
85 STERTE AVENUE WEST  
POOLE DO  
0

Vendor Code  
10101087

| QACode | Description               | Specification |
|--------|---------------------------|---------------|
| 12B    | SHOT PEENING - SATURATION | BAEP2001      |

|      |   |                                   |
|------|---|-----------------------------------|
| 12O  | PASSIVATION                                   | BAEP1516                          |
| 19D  | SHOT PEENING - SATURATION                     | BAEP2001                          |
| 19M  | STEEL SHOT PEENING FOR IMPROVED FATIGUE, STRE | BAEP2009                          |
| 25H2 | CHROMATE CONVERSION COATINGS                  | BAEP0004-4PSD1 (MIL-C-5541)       |
| 31B2 | CADMIUM PLATING FOR STEEL, TITANIUM & TITANIU | BAEP1514-2PSD1 (SAE-AMS-QQ-P-416) |
| 31F1 | HARD CHROME PLATING                           | BAEP1519-6PSD1 (SAE-AMS-QQ-C-320) |
| 35B3 | NDI: FLUORESCENT                              | BAEP2501-5PSD1 (ASTM E1417)       |
| 3C   | FLUORESCENT DYE PENETRANT INSPECTION          | BAEP2501                          |
| 3D   | HARDNESS TESTING                              | BAEP9226                          |
| 3E   | MAGNETIC FLAW DETECTION                       | BAEP2502                          |
| 3H   | FLAW DETECTION (BY ETCHING) (NITAL ETCH)      | BAEP4544                          |
| 4A   | CHROMIC ACID ANODIZING                        | BAEP0002                          |
| 4F   | CADMIUM PLATING (UNDER 65 TON F/IN2)          | BAEP1514                          |
| 4G   | CADMIUM PLATING (65-90 TON F/IN2)             | BAEP1514                          |
| 4H   | CADMIUM PLATING (OVER 90 TON F/IN2)           | BAEP1514                          |
| 4I   | FLEXIBLE PERMEABLE PAINTING                   | BAEP3528                          |
| 4M   | CHROMIUM PLATING (HARD)                       | BAEP1519                          |
| 4R   | ALOCROM 1200                                  | BAEP0004                          |
| 4T   | APPLICATION OF PRIMER                         | BAEP3527                          |
| 5N   | STRESS RELIEVING OF FERROUS ALLOYS            | BAEP9009                          |
| 5O   | DE-EMBRITTEMENT (FERROUS ALLOYS)              | BAEP1514                          |

BRUNTONS AERO PRODUCTS LTD (GBP)  
UNIT 1- 3 BLOCK 1  
EAST LOTHIAN SCOTLAND LO  
131-665-3888

Vendor Code  
10022317

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

|    |  |          |
|----|--|----------|
| 3C | FLUORESCENT DYE PENETRANT INSPECTION     | BAEP2501 |
| 3E | MAGNETIC FLAW DETECTION                  | BAEP2502 |
| 3H | FLAW DETECTION (BY ETCHING) (NITAL ETCH) | BAEP4544 |

BULWELL PRECISION ENGINEERS  
 WHARF RD INDUSTRIAL ESTATE  
 PINXTON NT  
 44-177-381-0102

Vendor Code  
 10016252

| QA Code | Description                          | Specification |
|---------|--------------------------------------|---------------|
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION | BAEP2501      |
| 3E      | MAGNETIC FLAW DETECTION              | BAEP2502      |

BURTON INDUSTRIES INC  
 243 WYANDANCH AVE  
 WEST BABYLON NY  
 11704 631-643-6660

Vendor Code  
 10090294

| QA Code | Description         | Specification                         |
|---------|---------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS     | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28C2    | HT: AL ALY, WROUGHT | TP1102                                |
| 28EA    | HT: ALLOY STEELS    | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 34F     | HARDNESS            | TP1601                                |

CALIFORNIA DROP FORGE INC  
 1033 ALHAMBRA AVE  
 LOS ANGELES CA  
 90012 323-221-1134-274

Vendor Code  
 10010823

| QA Code | Description            | Specification |
|---------|------------------------|---------------|
| 35B     | NDI: FLUORESCENT       | ASTM E1417    |
| 35B1    | NDI: CHEMICAL PRE-ETCH | BS25691       |
| 35C     | NDI: MAGNETIC PARTICLE | ASTM E1444    |

CALIFORNIA METAL PROCESSING  
 1530 W SLAUSON AVE  
 LOS ANGELES CA  
 90047 323-753-2247

Vendor Code  
 105706

| QA Code | Description             | Specification                      |
|---------|-------------------------|------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL | MIL-C-5541, MIL-DTL-5541, AMS 2473 |

|      |   |                                       |
|------|---|---------------------------------------|
| 25I  | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M  | SOLID FILM, LUBRICANT HEAT CURED            | MIL-PRF-46010                         |
| 25N  | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 28K  | EMBRITTLMENT RELIEF                         | BS25526                               |
| 31G  | COPPER PL                                   | MIL-C-14550, AMS 2418                 |
| 31J  | NICKEL, ELECTROLESS PLATE                   | MIL-C-26074                           |
| 32A  | PAINT                                       | BS361                                 |
| 32A1 | PAINT: AIRCRAFT INTEGRAL FUEL TANKS         | MIL-C-27725, AMS-C-27725              |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32D  | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 34F  | HARDNESS                                    | TP1601                                |
| 35B  | NDI: FLUORESCENT                            | ASTM E1417                            |
| 35C  | NDI: MAGNETIC PARTICLE                      | ASTM E1444                            |

CALIFORNIA TECHNICAL PLATING INC  
11533 BRADLEY AVE  
SAN FERNANDO CA  
91340 818-792-4530

Vendor Code  
10090603

| QACode | Description                      | Specification                         |
|--------|----------------------------------|---------------------------------------|
| 25H    | CVRSN COAT, CLASS 1A-AL          | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I    | CVRSN COAT, CLASS 3-AL           | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M    | SOLID FILM, LUBRICANT HEAT CURED | MIL-PRF-46010                         |
| 25N    | PICKLE AND PASSIVATE             | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25N1   | PASSIVATE:CORROSION RESIST STLS  | BS4692, ASTM A967                     |
| 31B    | CD PL, TYPE I,II                 | QQ-P-416, AMS 2400, AMS 2401          |
| 31J    | NICKEL, ELECTROLESS PLATE        | MIL-C-26074                           |
| 31N    | SILVER                           | QQ-S-365                              |

34J SALT SPRAY ASTM B117

34L WET SOLUTION ANALYSIS AS REQUIRED

CAPPS MANUFACTURING INC  
2121 S EDWARDS ST  
WICHITA KS  
67213 316-942-9351

Vendor Code  
10023905

QA Code Description Specification  
25H CVRSN COAT, CLASS 1A-AL MIL-C-5541, MIL-DTL-5541, AMS 2473

27F1 FORMING AL ALLOYS: AMBIENT FORMING BS 311327

27F3 FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING BS 311327

27F4 FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING BS 311327

27G1 FRMING/STRAIGHTENING AL ALY: COLD FORMING P1103

28C1 HT: AL ALY, WROUGHT TP1102

28C2 HT: AL ALY, WROUGHT TP1102

32A PAINT BS361

32A2 PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL MIL-F-18264

32A5 CORROSION RESIST FUEL CELL EPOXY PRIMER BS25032

32A6 FINISH PROC. FOR MODELS USING URETHANE BS22455

32D PRIMER MIL-P-23377; MIL-PRF-23377

34F HARDNESS TP1601

35B NDI: FLUORESCENT ASTM E1417

35B1 NDI: CHEMICAL PRE-ETCH BS25691

3J CONDUCTIVITY TESTING MIL-STD-1537

CARPENTER TECHNOLOGY CORP  
101 W BERN ST  
READING PA  
19603 610-208-2000

Vendor Code  
10082411

QA Code Description Specification



CAV AEROSPACE (GBP)  
 UNIT 24, 1 INDUSTRIAL ESTATE  
 CONSETT DU  
 120-758-2811

Vendor Code  
 10022285

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 3A      | NDT USING ANODISING                           | BAEP0002      |
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION          | BAEP2501      |
| 3D      | HARDNESS TESTING                              | BAEP9226      |
| 3J1     | CONDUCTIVITY TESTING                          | BAEP9088      |
| 4A      | CHROMIC ACID ANODIZING                        | BAEP0002      |
| 4I      | FLEXIBLE PERMEABLE PAINTING                   | BAEP3528      |
| 4T      | APPLICATION OF PRIMER                         | BAEP3527      |
| 5A      | ANNEALING (ALUMINUM ALLOYS)                   | BAEP9006      |
| 5B      | SOLUTION TREATMENT (ALUMINIUM ALLOYS)         | BAEP9006      |
| 5C      | PRECIPITATION (ALUMINIUM ALLOYS)              | BAEP9006      |
| 5U      | STRESS RELIEVING (TITANIUM & TITANIUM ALLOYS) | BAEP9007      |
| 8S      | MECHANICAL TESTING OF METALLIC MATERIALS      | .N/A          |

CAV AEROSPACE SP. Z.O.O.  
 SZYPOWSKIEGO 1  
 NOWA DEBA SWK  
 48 15 846 34 45

Vendor Code  
 10132722

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 3D      | HARDNESS TESTING                              | BAEP9226      |
| 3J      | CONDUCTIVITY TESTING                          | MIL-STD-1537  |
| 4A      | CHROMIC ACID ANODIZING                        | BAEP0002      |
| 4I      | FLEXIBLE PERMEABLE PAINTING                   | BAEP3528      |
| 4ZC     | THE APPLICATION OF COLD CURING EPOXIDE FINISH | BAEP3505      |

|    |   |          |
|----|---|----------|
| 5A | ANNEALING (ALUMINUM ALLOYS)                   | BAEP9006 |
| 5B | SOLUTION TREATMENT (ALUMINIUM ALLOYS)         | BAEP9006 |
| 5C | PRECIPITATION (ALUMINIUM ALLOYS)              | BAEP9006 |
| 5U | STRESS RELIEVING (TITANIUM & TITANIUM ALLOYS) | BAEP9007 |
| 5V | SUPER ANNEALING (ALUMINIUM ALLOYS)            | BAEP9006 |
| 8S | MECHANICAL TESTING OF METALLIC MATERIALS      | .N/A     |

CENTRAL TEXAS HEAT TREATING  
5801 DENTON HWY  
FORT WORTH TX  
76148 817-788-8511

Vendor Code  
10090293

| QA Code | Description                      | Specification           |
|---------|----------------------------------|-------------------------|
| 28B1    | HT: HT: AL ALY, CAST             | TP1103                  |
| 28B2    | HT: AL ALY, CAST                 | TP1103                  |
| 28C1    | HT: AL ALY, WROUGHT              | TP1102                  |
| 28C2    | HT: AL ALY, WROUGHT              | TP1102                  |
| 28F     | HT: MAGNESIUM                    | MIL-M-6857, AMS-M-6857  |
| 34E     | HARDNESS, MICRO                  | ASTM E384               |
| 34F     | HARDNESS                         | TP1601                  |
| 34G     | MECHANICAL                       | ASTM E8                 |
| 34H     | METALLURGICAL                    | AS REQUIRED             |
| 35B     | NDI: FLUORESCENT                 | ASTM E1417              |
| 35B1    | NDI: CHEMICAL PRE-ETCH           | BS25691                 |
| 35D     | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742 |
| XRI     | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742             |

CESSNA DE MEXICO-PLANT 4  
 MIGUEL DE CERVANTES SAAVEDRA 140  
 CHIHUAHUA CP CHI  
 31136 614-236-1165

Vendor Code  
 10133716

| QA Code | Description                                   | Specification                      |
|---------|---|------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL                       | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 27F4    | FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING | BS 311327                          |
| 28C2    | HT: AL ALY, WROUGHT                           | TP1102                             |
| 32D     | PRIMER  | MIL-P-23377; MIL-PRF-23377         |
| 34F     | HARDNESS                                      | TP1601                             |

CHEM PROCESSING INC  
 3910 LINDEN OAKS DRIVE  
 ROCKFORD IL  
 815-874-8118

Vendor Code  
 1019570

| QA Code | Description               | Specification                         |
|---------|---------------------------|---------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL   | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL    | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N     | PICKLE AND PASSIVATE      | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 28G     | STRESS RELIEF             | BS25526                               |
| 31B     | CD PL, TYPE I,II          | QQ-P-416, AMS 2400, AMS 2401          |
| 31F     | CRPL, HARD                | QQ-C-320, AMS 2406                    |
| 31J     | NICKEL, ELECTROLESS PLATE | MIL-C-26074                           |
| 34J     | SALT SPRAY                | ASTM B117                             |

CHEMRESEARCH COMPANY  
 1101 W HILTON AVE  
 PHOENIX AZ  
 85007 602-253-4175

Vendor Code  
 10103986

| QA Code | Description        | Specification        |
|---------|--------------------|----------------------|
| 25B     | ANDZ, TYPE I - AL  | MIL-A-8625,AMS 2470  |
| 25C     | ANDZ, TYPE II - AL | MIL-A-8625, AMS 2471 |

|      |   |                                       |
|------|---|---------------------------------------|
| 25D  | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472                  |
| 25H  | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25L1 | DRI-LUBE-MAGNESIUM                          | MIL-M-45202, ASTM D 1732              |
| 25L2 | DRI-LUBE-MAGNESIUM                          | AMS-M-45202, ASTM D 1732              |
| 25M  | SOLID FILM, LUBRICANT HEAT CURED            | MIL-PRF-46010                         |
| 25M1 | SOLID FILM, LUBRICANT AIR CURED             | MIL-L-23398                           |
| 25N  | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25N1 | PASSIVATE:CORROSION RESIST STLS             | BS4692, ASTM A967                     |
| 28G  | STRESS RELIEF                               | BS25526                               |
| 31E  | CRPL, DECORATIVE                            | QQ-C-320                              |
| 31F  | CRPL, HARD                                  | QQ-C-320, AMS 2406                    |
| 31G  | COPPER PL                                   | MIL-C-14550, AMS 2418                 |
| 31I  | NICKEL PL                                   | QQ-N-290, AMS 2403                    |
| 31J  | NICKEL, ELECTROLESS PLATE                   | MIL-C-26074                           |
| 32A  | PAINT                                       | BS361                                 |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32A6 | FINISH PROC. FOR MODELS USING URETHANE      | BS22455                               |
| 32A7 | PAINT, PRIMER, HIGH TEMPERATURE EPOXY       | BS25457                               |
| 32D  | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 34C  | CHEMICAL SPECTROCHEMICAL ANALYSIS           | STANDARD PRACTICE                     |
| 35B  | NDI: FLUORESCENT                            | ASTM E1417                            |
| 35B1 | NDI: CHEMICAL PRE-ETCH                      | BS25691                               |
| 35C  | NDI: MAGNETIC PARTICLE                      | ASTM E1444                            |

CHROME PLUS INTERNATIONAL INC  
 3939 W 29TH ST S  
 WICHITA KS  
 67217 316-944-3600

Vendor Code  
 10064987

| QA Code | Description                                   | Specification                         |
|---------|---|---------------------------------------|
| 12B     | SHOT PEENING - SATURATION                     | BAEP2001                              |
| 19D     | SHOT PEENING - SATURATION                     | BAEP2001                              |
| 19M     | STEEL SHOT PEENING FOR IMPROVED FATIGUE, STRE | BAEP2009                              |
| 25B     | ANDZ, TYPE I - AL                             | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                            | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL      | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL              | MIL-A-8625, AMS 2469                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                       | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                        | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M     | SOLID FILM, LUBRICANT HEAT CURED              | MIL-PRF-46010                         |
| 25N     | PICKLE AND PASSIVATE                          | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 28G     | STRESS RELIEF                                 | BS25526                               |
| 28K     | EMBRITTLEMENT RELIEF                          | BS25526                               |
| 30B     | PEENING: SHOT                                 | MIL-S-13165, AMS 2430                 |
| 30B1    | PEENING: SHOT                                 | AMS-S-13165                           |
| 30B2    | PEENING: SHOT                                 | AMS 2430                              |
| 31A     | CD PL, BRUSH                                  | MIL-STD-865, AMS 2451/4               |
| 31B     | CD PL, TYPE I,II                              | QQ-P-416, AMS 2400, AMS 2401          |
| 31B2    | CADMIUM PLATING FOR STEEL, TITANIUM & TITANIU | BAEP1514-2PSD1 (SAE-AMS-QQ-P-416)     |
| 31C     | CD PL, TI: LOW HYDROGEN                       | MIL-STD-1500, AMS 2419                |
| 31F     | CRPL, HARD                                    | QQ-C-320, AMS 2406                    |

|      |   |                                   |
|------|---|-----------------------------------|
| 31F1 | HARD CHROME PLATING                         | BAEP1519-6PSD1 (SAE-AMS-QQ-C-320) |
| 31J  | NICKEL, ELECTROLESS PLATE                   | MIL-C-26074                       |
| 32A  | PAINT                                       | BS361                             |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                       |
| 32A5 | CORROSION RESIST FUEL CELL EPOXY PRIMER     | BS25032                           |
| 32A6 | FINISH PROC. FOR MODELS USING URETHANE      | BS22455                           |
| 32AB | PAINT: STRIPPING - WHEAT STARCH BLAST       | PS11234                           |
| 32D  | PRIMER                                      | MIL-P-23377; MIL-PRF-23377        |
| 34C  | CHEMICAL SPECTROCHEMICAL ANALYSIS           | STANDARD PRACTICE                 |
| 34G  | MECHANICAL                                  | ASTM E8                           |
| 34J  | SALT SPRAY                                  | ASTM B117                         |
| 34L  | WET SOLUTION ANALYSIS                       | AS REQUIRED                       |
| 35B  | NDI: FLUORESCENT                            | ASTM E1417                        |
| 35B1 | NDI: CHEMICAL PRE-ETCH                      | BS25691                           |
| 35C  | NDI: MAGNETIC PARTICLE                      | ASTM E1444                        |
| 3C   | FLUORESCENT DYE PENETRANT INSPECTION        | BAEP2501                          |
| 3E   | MAGNETIC FLAW DETECTION                     | BAEP2502                          |
| 3H   | FLAW DETECTION (BY ETCHING) (NITAL ETCH)    | BAEP4544                          |
| 4T   | APPLICATION OF PRIMER                       | BAEP3527                          |
| 4ZF  | APPLICATION OF POLYURETHANE FINISH          | BAEP3504                          |
| 4ZK  | APPLICATION OF ANTI-FRETTING PRIMER         | BAEP3513                          |
| 8S   | MECHANICAL TESTING OF METALLIC MATERIALS    | .N/A                              |

CIL INC  
 400 CANAL ST  
 LAWRENCE MA  
 1840 978-685-8300

Vendor Code  
 10052911

| QA Code | Description                                 | Specification                      |
|---------|---|------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471               |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472               |
| 25E     | HARD COAT ANODIZE, TYPE III - AL            | MIL-A-8625, AMS 2469               |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 32A     | PAINT                                       | BS361                              |
| 32A1    | PAINT: AIRCRAFT INTEGRAL FUEL TANKS         | MIL-C-27725, AMS-C-27725           |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                        |
| 32A6    | FINISH PROC. FOR MODELS USING URETHANE      | BS22455                            |
| 32A7    | PAINT, PRIMER, HIGH TEMPERATURE EPOXY       | BS25457                            |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377         |

COAST HEAT TREATING CO  
 1767 INDUSTRIAL WAY  
 LOS ANGELES CA  
 90023 323-263-6944

Vendor Code  
 10091840

| QA Code | Description          | Specification |
|---------|----------------------|---------------|
| 28B1    | HT: HT: AL ALY, CAST | TP1103        |

COAST PLATING INC  
 128 W 154TH ST  
 GARDENA CA  
 90248 323-770-0240

Vendor Code  
 10091902

| QA Code | Description        | Specification        |
|---------|--------------------|----------------------|
| 25B     | ANDZ, TYPE I - AL  | MIL-A-8625,AMS 2470  |
| 25C     | ANDZ, TYPE II - AL | MIL-A-8625, AMS 2471 |

|      |   |                                       |
|------|---|---------------------------------------|
| 25D  | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472                  |
| 25E  | HARD COAT ANODIZE, TYPE III - AL            | MIL-A-8625, AMS 2469                  |
| 25H  | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N  | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 32A  | PAINT                                       | BS361                                 |
| 32A1 | PAINT: AIRCRAFT INTEGRAL FUEL TANKS         | MIL-C-27725, AMS-C-27725              |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32D  | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 35B  | NDI: FLUORESCENT                            | ASTM E1417                            |

COASTLINE METAL FINISHING  
7061 PATTERSON DRIVE  
GARDEN GROVE CA  
92841 714-895-9099

Vendor Code  
10135156

| QACode | Description                              | Specification                         |
|--------|--|---------------------------------------|
| 25B    | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                   |
| 25C    | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471                  |
| 25D    | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472                  |
| 25E    | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469                  |
| 25H    | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N    | PICKLE AND PASSIVATE                     | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25N1   | PASSIVATE:CORROSION RESIST STLS          | BS4692, ASTM A967                     |
| 28G    | STRESS RELIEF                            | BS25526                               |
| 31F    | CRPL, HARD                               | QQ-C-320, AMS 2406                    |
| 31J    | NICKEL, ELECTROLESS PLATE                | MIL-C-26074                           |



CONNELL PROCESSING INC  
 3094 N AVON ST  
 BURBANK CA  
 91504 818-845-7661

Vendor Code  
 10091901

| QA Code | Description                                 | Specification                         |
|---------|---|---------------------------------------|
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M     | SOLID FILM, LUBRICANT HEAT CURED            | MIL-PRF-46010                         |
| 25M1    | SOLID FILM, LUBRICANT AIR CURED             | MIL-L-23398                           |
| 25N     | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 32A     | PAINT                                       | BS361                                 |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32A3    | FINISHES & COATING (MHI)                    | P2700                                 |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 34C     | CHEMICAL SPECTROCHEMICAL ANALYSIS           | STANDARD PRACTICE                     |
| 34F     | HARDNESS                                    | TP1601                                |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                            |
| 3D      | HARDNESS TESTING                            | BAEP9226                              |

CONTINENTAL HEAT TREATING  
 10643 NORWALK BLVD  
 SANTA FE SPRINGS CA  
 90670 562-944-8808

Vendor Code  
 10045872

| QA Code | Description                     | Specification                        |
|---------|---------------------------------|--------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B          |
| 28A2    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B          |
| 28A3    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-C          |

|      |                                 |                                       |
|------|---------------------------------|---------------------------------------|
| 28A4 | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-D           |
| 28A5 | HT:STAINLESS & PH STAINLESS STL | AMS 2759/3                            |
| 28A6 | HT:STAINLESS & PH STAINLESS STL | AMS 2759/4                            |
| 28D1 | HT:BERYLLIUM COPPER             | MIL-H-7199, AMS-H-7199                |
| 28D2 | HT:BERYLLIUM COPPER             | AMS 2728                              |
| 28EA | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28M1 | HT: STL ANNEALING&NORMALIZING   | AMS 2759/1                            |
| 28M2 | HT: STL ANNEALING&NORMALIZING   | AMS 2759/2                            |
| 28M3 | HT: STL ANNEALING&NORMALIZING   | MIL-H-6875 CL-A & AMS-H-6875 CL-A     |
| 28N1 | HT: CARBURIZING                 | AMS 2759/7                            |
| 28N3 | HT: CARBURIZING                 | MIL-S-6090                            |
| 28O1 | HT: NITRIDING                   | AMS 2759/6                            |
| 28R  | NICKEL AND COBALT               | AMS2774                               |
| 34E  | HARDNESS, MICRO                 | ASTM E384                             |
| 34F  | HARDNESS                        | TP1601                                |
| 34G  | MECHANICAL                      | ASTM E8                               |
| 34H  | METALLURGICAL                   | AS REQUIRED                           |

CPP-CONSOLIDATED PRECISION PRODUCT  
 705 INDUSTRIAL AVE  
 PORT HUENEME CA  
 93041 805-488-6451

Vendor Code  
 10014667

| QA Code | Description                     | Specification                        |
|---------|---------------------------------|--------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |
| 28A3    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-C          |
| 28A4    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-D          |
| 28A5    | HT:STAINLESS & PH STAINLESS STL | AMS 2759/3                           |

|      |                                  |                                       |
|------|----------------------------------|---------------------------------------|
| 28B2 | HT: AL ALY, CAST                 | TP1103                                |
| 28EA | HT: ALLOY STEELS                 | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28Q  | HT: VACCUUM HEAT TREATING        | AMS 2769                              |
| 34F  | HARDNESS                         | TP1601                                |
| 35B  | NDI: FLUORESCENT                 | ASTM E1417                            |
| 35B1 | NDI: CHEMICAL PRE-ETCH           | BS25691                               |
| 35C  | NDI: MAGNETIC PARTICLE           | ASTM E1444                            |
| 35D  | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742               |
| XRI  | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742                           |

CURTO LIGONIER FOUNDRIES CO  
1215 N 31ST AVE  
MELROSE PARK IL  
60160 708-345-2250

Vendor Code  
10100314

| QA Code | Description      | Specification          |
|---------|------------------|------------------------|
| 28B2    | HT: AL ALY, CAST | TP1103                 |
| 28F     | HT: MAGNESIUM    | MIL-M-6857, AMS-M-6857 |

CYCLONE AVIATION PRODUCTS LTD  
1 CYCLONE RD  
CARMIEL 3  
2010003 972 4 9960836

Vendor Code  
10119567

| QA Code | Description                                 | Specification |
|---------|---|---------------|
| 25Q     | PHOSPHORIC ACID ANODIZING AL ALLOY FOR BOND | BS 24554      |
| 26B     | CMPST: FAB PREPREG                          | BS 23767      |
| 26D     | CMPST: FAB PREPREG FIBERGLASS 250-350 CURE  | BS 23771      |
| 26F     | CMPST: 2ND BOND RM TEMP                     | BS 23738      |
| 26G     | CMPST: 2ND BOND CURING                      | BS 23773      |
| 28C2    | HT: AL ALY, WROUGHT                         | TP1102        |
| 32A9    | CORROSION INHIBIT ADHESIVE PRIMER           | BS23865       |

DCI AEROTECH  
 7515 LYNDON AVE  
 DETROIT MI  
 48238 313-341-9478

Vendor Code  
 1017610

| QA Code | Description                      | Specification                         |
|---------|----------------------------------|---------------------------------------|
| 25F     | BLACK OXIDE CVRSN COAT- STL      | AMS 2485                              |
| 25F1    | BLACK OXIDE CVRSN COAT- STL      | MIL-C-13924, MIL-DTL-13924            |
| 25H     | CVRSN COAT, CLASS 1A-AL          | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25H1    | PRE-PROCESSED MATERIAL           | BS361 SEC. 3.6.2.                     |
| 25M     | SOLID FILM, LUBRICANT HEAT CURED | MIL-PRF-46010                         |
| 25M1    | SOLID FILM, LUBRICANT AIR CURED  | MIL-L-23398                           |
| 25N     | PICKLE AND PASSIVATE             | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25O     | PHOSPHATE CVRSN COAT-STL         | AMS 2480, AMS 2481                    |
| 30B     | PEENING: SHOT                    | MIL-S-13165, AMS 2430                 |
| 30B1    | PEENING: SHOT                    | AMS-S-13165                           |
| 30D     | PEENING: COMPUTER CONTROLLED     | AS 7117                               |
| 30D1    | PEENING: COMPUTER CONTROLLED     | AMS 2432                              |
| 31A     | CD PL, BRUSH                     | MIL-STD-865, AMS 2451/4               |
| 31B     | CD PL, TYPE I,II                 | QQ-P-416, AMS 2400, AMS 2401          |
| 31C     | CD PL, TI: LOW HYDROGEN          | MIL-STD-1500, AMS 2419                |
| 31F     | CRPL, HARD                       | QQ-C-320, AMS 2406                    |
| 31H     | HVOF: HIGH VEL.OXY FUEL          | AMS 2447, COMMERCIAL PRACTICE         |
| 31J     | NICKEL, ELECTROLESS PLATE        | MIL-C-26074                           |
| 32A     | PAINT                            | BS361                                 |
| 32D     | PRIMER                           | MIL-P-23377; MIL-PRF-23377            |

|      |                                   |                   |
|------|-----------------------------------|-------------------|
| 32D1 | EPOXY TOP COAT                    | MIL-PRF-22750     |
| 32E  | THERMAL SPRAY COATINGS            | BS25328           |
| 34C  | CHEMICAL SPECTROCHEMICAL ANALYSIS | STANDARD PRACTICE |
| 34E  | HARDNESS, MICRO                   | ASTM E384         |
| 34F  | HARDNESS                          | TP1601            |
| 34J  | SALT SPRAY                        | ASTM B117         |
| 35B  | NDI: FLUORESCENT                  | ASTM E1417        |
| 35B1 | NDI: CHEMICAL PRE-ETCH            | BS25691           |
| 35C  | NDI: MAGNETIC PARTICLE            | ASTM E1444        |

DIVERSIFIED SERVICES INC  
27 CLARK AVE  
WELLINGTON KS  
67152 620-326-7655

Vendor Code  
10091873

| QACode | Description                             | Specification                      |
|--------|---|------------------------------------|
| 25B    | ANDZ, TYPE I - AL                       | MIL-A-8625,AMS 2470                |
| 25H    | CVRSN COAT, CLASS 1A-AL                 | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I    | CVRSN COAT, CLASS 3-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 32A    | PAINT                                   | BS361                              |
| 32A5   | CORROSION RESIST FUEL CELL EPOXY PRIMER | BS25032                            |
| 32A6   | FINISH PROC. FOR MODELS USING URETHANE  | BS22455                            |
| 32A7   | PAINT, PRIMER, HIGH TEMPERATURE EPOXY   | BS25457                            |
| 32D    | PRIMER                                  | MIL-P-23377; MIL-PRF-23377         |
| 34F    | HARDNESS                                | TP1601                             |
| 35B    | NDI: FLUORESCENT                        | ASTM E1417                         |
| 35B1   | NDI: CHEMICAL PRE-ETCH                  | BS25691                            |
| 3J     | CONDUCTIVITY TESTING                    | MIL-STD-1537                       |

DJ ENGINEERING INC  
 1002 INDUSTRIAL RD  
 AUGUSTA KS  
 67010 316-775-1212

Vendor Code  
 10014228

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |
| 27F4    | FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING | BS 311327     |
| 34F     | HARDNESS                                      | TP1601        |

DJ EXTRUDING LLC  
 723 E SPRING  
 CONWAY SPRINGS KS  
 67031 620-456-3121

Vendor Code  
 10019559

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |
| 27F4    | FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING | BS 311327     |
| 27G1    | FRMING/STRAIGHTENING AL ALY: COLD FORMING     | P1103         |
| 28C1    | HT: AL ALY, WROUGHT                           | TP1102        |
| 28C2    | HT: AL ALY, WROUGHT                           | TP1102        |
| 34F     | HARDNESS                                      | TP1601        |
| 34G     | MECHANICAL                                    | ASTM E8       |

DUCOMMUN AEROSTRUCTURES  
 1885 N BATAVIA ST  
 ORANGE CA  
 92865 714-637-4401

Vendor Code  
 10079801

| QA Code | Description            | Specification                    |
|---------|------------------------|----------------------------------|
| 24A     | CHEM MILL: AL ALY      | COMMERCIAL PRACTICE, AMS-C-81769 |
| 24B     | CHEM MILL: NI BASE ALY | COMMERCIAL PRACTICE              |
| 24C     | CHEM MILL: STEEL ALY   | COMMERCIAL PRACTICE              |

24D CHEM MILL: TITANIUM ALY COMMERCIAL PRACTICE

27C FORMING: HOT - TITANIUM ALY AS REQUIRED BY RAC ENG. DRAWING

ELECTRON BEAM WELDING LLC Vendor Code  
6940 HERMOSA CIR 10080429  
BUENA PARK CA  
90620 714-670-9119

| QA Code | Description         | Specification     |
|---------|---------------------|-------------------|
| 36A     | WLDG: ELECTRON BEAM | AMS 2681, BS 4896 |

ELEMENT HUNTINGTON BEACH Vendor Code  
15062 BOLSA CHICA 10085872  
HUNTINGTON BEACH CA  
92649 714-892-1961

| QA Code | Description     | Specification |
|---------|-----------------|---------------|
| 34E     | HARDNESS, MICRO | ASTM E384     |

|     |          |        |
|-----|----------|--------|
| 34F | HARDNESS | TP1601 |
|-----|----------|--------|

|     |            |         |
|-----|------------|---------|
| 34G | MECHANICAL | ASTM E8 |
|-----|------------|---------|

|     |               |             |
|-----|---------------|-------------|
| 34H | METALLURGICAL | AS REQUIRED |
|-----|---------------|-------------|

|     |            |           |
|-----|------------|-----------|
| 34J | SALT SPRAY | ASTM B117 |
|-----|------------|-----------|

|     |                          |             |
|-----|--------------------------|-------------|
| 34K | SPECTROCHEMICAL ANALYSIS | AS REQUIRED |
|-----|--------------------------|-------------|

|     |                       |             |
|-----|-----------------------|-------------|
| 34L | WET SOLUTION ANALYSIS | AS REQUIRED |
|-----|-----------------------|-------------|

ELEMENT MATERIALS TECHNOLOGY BROK Vendor Code  
3100 N HEMLOCK CIR 10013820  
BROKEN ARROW OK  
74012 918-664-7767

| QA Code | Description    | Specification |
|---------|----------------|---------------|
| 26H     | CMPST: TESTING | BS 23717      |

|     |          |        |
|-----|----------|--------|
| 34F | HARDNESS | TP1601 |
|-----|----------|--------|

|     |            |           |
|-----|------------|-----------|
| 34J | SALT SPRAY | ASTM B117 |
|-----|------------|-----------|

|     |                          |             |
|-----|--------------------------|-------------|
| 34K | SPECTROCHEMICAL ANALYSIS | AS REQUIRED |
|-----|--------------------------|-------------|

|     |                       |             |
|-----|-----------------------|-------------|
| 34L | WET SOLUTION ANALYSIS | AS REQUIRED |
|-----|-----------------------|-------------|

ELEMENT RANCHO DOMINGUEZ  
 18100 S WILMINGTON AVE STE 200  
 RANCHO DOMINGUEZ CA  
 90220 310-632-8500

Vendor Code  
 10091899

| QA Code | Description                      | Specification                         |
|---------|----------------------------------|---------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL          | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N     | PICKLE AND PASSIVATE             | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 35B     | NDI: FLUORESCENT                 | ASTM E1417                            |
| 35B1    | NDI: CHEMICAL PRE-ETCH           | BS25691                               |
| 35C     | NDI: MAGNETIC PARTICLE           | ASTM E1444                            |
| 35D     | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742               |
| 35E     | NDI: ULTRASONIC                  | MIL-STD-2154, AMS-STD-2154            |
| XRI     | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742                           |

EM COATINGS  
 6940 FARMDALE AVE  
 NORTH HOLLYWOOD CA  
 91605 818-983-1952

Vendor Code  
 108180

| QA Code | Description                              | Specification                         |
|---------|--|---------------------------------------|
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M     | SOLID FILM, LUBRICANT HEAT CURED         | MIL-PRF-46010                         |
| 25M1    | SOLID FILM, LUBRICANT AIR CURED          | MIL-L-23398                           |
| 25N     | PICKLE AND PASSIVATE                     | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25N1    | PASSIVATE:CORROSION RESIST STLS          | BS4692, ASTM A967                     |



250 PHOSPHATE CVRSN COAT-STL AMS 2480, AMS 2481

EME INC  
431 E OAKS ST  
COMPTON CA  
90221 310-639-1621

Vendor Code  
10098197

| QA Code | Description                              | Specification                         |
|---------|--|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N     | PICKLE AND PASSIVATE                     | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25N1    | PASSIVATE:CORROSION RESIST STLS          | BS4692, ASTM A967                     |
| 32A     | PAINT                                    | BS361                                 |
| 35B     | NDI: FLUORESCENT                         | ASTM E1417                            |
| 35B1    | NDI: CHEMICAL PRE-ETCH                   | BS25691                               |
| 35C     | NDI: MAGNETIC PARTICLE                   | ASTM E1444                            |

ENGINEERED HEAT TREAT INC  
31271 STEPHENSON HWY  
MADISON HEIGHTS MI  
48071 248-588-5141

Vendor Code  
10091871

| QA Code | Description                     | Specification                        |
|---------|---------------------------------|--------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B          |
| 28A2    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B          |
| 28A3    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-C          |
| 28A4    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-D          |

|      |                                 |                                       |
|------|---------------------------------|---------------------------------------|
| 28A5 | HT:STAINLESS & PH STAINLESS STL | AMS 2759/3                            |
| 28A6 | HT:STAINLESS & PH STAINLESS STL | AMS 2759/4                            |
| 28EA | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28H1 | HT:TI ALY ANEALING&STRS RELIEF  | MIL-H-81200, AMS-H-81200A             |
| 28M1 | HT: STL ANNEALING&NORMALIZING   | AMS 2759/1                            |
| 28M2 | HT: STL ANNEALING&NORMALIZING   | AMS 2759/2                            |
| 28M3 | HT: STL ANNEALING&NORMALIZING   | MIL-H-6875 CL-A & AMS-H-6875 CL-A     |
| 28N1 | HT: CARBURIZING                 | AMS 2759/7                            |
| 28N2 | HT: CARBURIZING                 | AMS 2762                              |
| 28N3 | HT: CARBURIZING                 | MIL-S-6090                            |
| 28O1 | HT: NITRIDING                   | AMS 2759/6                            |

EXACTA AEROSPACE INC  
4200 W HARRY ST  
WICHITA KS  
67209 316-941-4200

Vendor Code  
10079271

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |
| 34F     | HARDNESS                                      | TP1601        |
| 3J      | CONDUCTIVITY TESTING                          | MIL-STD-1537  |

EXOTIC TOOL WELDING INC  
2909 SEAWAY BLVD SUITE B  
EVERETT WA  
98203 425-353-3040

Vendor Code  
10102201

| QA Code | Description           | Specification |
|---------|-----------------------|---------------|
| 36B1    | WLDG: FUSION - AL ALY | BS 510        |
| 36B2    | WLDG: FUSION - AL ALY | MIL-STD-2219  |
| 36B3    | WLDG: FUSION - AL ALY | AMS-STD-2219  |

|      |                          |              |
|------|--------------------------|--------------|
| 36D1 | WLDG: FUSION - STEEL ALY | BS 511       |
| 36D2 | WLDG: FUSION - STEEL ALY | AMS-STD-2219 |
| 36D3 | WLDG: FUSION - STEEL ALY | MIL-STD-2219 |

EXOVA  
 10005 FREEMAN AVE  
 SANTA FE SPRINGS CA  
 90670 562-946-1721

Vendor Code  
 10130572

| QA Code | Description                              | Specification |
|---------|--|---------------|
| 34D     | FRACTURE TOUGHNESS                       | ASTM E399     |
| 34E     | HARDNESS, MICRO                          | ASTM E384     |
| 34F     | HARDNESS                                 | TP1601        |
| 34G     | MECHANICAL                               | ASTM E8       |
| 8S      | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A          |

EXOVA (UK) LTD - BRIDGWATER  
 1 FESTIVAL UNITS, THE SHOWGROUND  
 PARK, BRIDGWATER MD  
 7824519517

Vendor Code  
 10134979

| QA Code | Description      | Specification |
|---------|------------------|---------------|
| 34E     | HARDNESS, MICRO  | ASTM E384     |
| 34F     | HARDNESS         | TP1601        |
| 34G     | MECHANICAL       | ASTM E8       |
| 34H     | METALLURGICAL    | AS REQUIRED   |
| 3D      | HARDNESS TESTING | BAEP9226      |

FITZ MANUFACTURING INDUSTRIES  
 6625 IRON HORSE BLVD  
 NORTH RICHLAND HILLS TX  
 76180 817-281-8816

Vendor Code  
 10091537

| QA Code | Description         | Specification |
|---------|---------------------|---------------|
| 28G     | STRESS RELIEF       | BS25526       |
| 28K     | EMBRITTEMENT RELIEF | BS25526       |

FLUID CONDITIONING PRODUCTS  
 KLEINE AND WARWICK ST  
 LITITZ PA  
 17543 717-627-1550

Vendor Code  
 114052

| QA Code | Description                                   | Specification                         |
|---------|---|---------------------------------------|
| 2117    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 50-820042-24             |
| 2118    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 50-810290-5              |
| 2119    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 50-810012                |
| 2120    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 50-810011                |
| 2121    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 50-820035-8              |
| 2122    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 101-820075-5             |
| 2123    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 50-810288-9              |
| 2124    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 35-825163                |
| 2125    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 35-820116                |
| 2126    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N 35-815261                |
| 2216    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_50-524528                |
| 2217    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_36-524099-5              |
| 22A     | BRZG: AL                                      | MIL-B-7883, AWS C3.7                  |
| 22F1    | BRZG: INDUCTION                               | MIL-B-7883, AWS C3.5 P/N 50-810290-5  |
| 22F2    | BRZG: INDUCTION                               | MIL-B-7883, AWS C3.5 P/N 50-810012    |
| 22F3    | BRZG: INDUCTION                               | MIL-B-7883, AWS C3.5 P/N 50-810011    |
| 22F4    | BRZG: INDUCTION                               | MIL-B-7883, AWS C3.5 P/N 101-820075-5 |
| 22F5    | BRZG: INDUCTION                               | MIL-B-7883, AWS C3.5 P/N 50-810288-9  |
| 22F6    | BRZG: INDUCTION                               | MIL-B-7883, AWS C3.5 P/N 99-820100-5  |
| 22F7    | BRZG: INDUCTION                               | MIL-B-7883, AWS C3.5 P/N 50-820229-1  |

|      |                 |                                      |
|------|-----------------|--------------------------------------|
| 22F8 | BRZG: INDUCTION | MIL-B-7883, AWS C3.5 P/N 50-820149   |
| 22F9 | BRZG: INDUCTION | MIL-B-7883, AWS C3.5 P/N 50-810292-1 |
| 22I  | BRZG: TORCH     | MIL-B-7883, AWS C3.4                 |

FRONTIER TECHNI KOTE INC  
 2210 TREE FARM LN  
 CHINO VALLEY AZ  
 86323 920-636-0130

Vendor Code  
 10131612

| QA Code | Description                              | Specification                         |
|---------|--|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M     | SOLID FILM, LUBRICANT HEAT CURED         | MIL-PRF-46010                         |
| 25N     | PICKLE AND PASSIVATE                     | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 32A     | PAINT                                    | BS361                                 |
| 32D     | PRIMER                                   | MIL-P-23377; MIL-PRF-23377            |

GE AVIATION SYSTEMS LLC  
 740 E NATIONAL RD  
 VANDALIA OH  
 45377 937-898-5881

Vendor Code  
 108182

| QA Code | Description       | Specification        |
|---------|-------------------|----------------------|
| 22F     | BRZG: INDUCTION   | MIL-B-7883, AWS C3.5 |
| 36C1    | WLDG: FUSION - MG | AMS-STD-2219         |
| 36C2    | WLDG: FUSION - MG | MIL-STD-2219         |

GEB SURFACE TREATMENT LTD  
 WHARF ROAD INDUSTRIAL ESTATE  
 PINXTON NOTTINGHAM NT  
 1773 384 981

Vendor Code  
 10101080

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION          | BAEP2501      |
| 4A      | CHROMIC ACID ANODIZING                        | BAEP0002      |
| 4I      | FLEXIBLE PERMEABLE PAINTING                   | BAEP3528      |
| 4R      | ALOCROM 1200                                  | BAEP0004      |
| 4S      | CHROMATING MAGNESIUM ALLOYS                   | BAEP0005      |
| 4T      | APPLICATION OF PRIMER                         | BAEP3527      |
| 4ZA     | THE APPLICATION OF AIR-DRYING SYNTHETIC ENAME | BAEP3533      |
| 4ZB     | THE APPLICATION OF LOW TEMPERATURE STOVING EN | BAEP3532      |
| 4ZC     | THE APPLICATION OF COLD CURING EPOXIDE FINISH | BAEP3505      |
| 4ZE     | PROTECTIVE TREATMENT OF MAGNESIUM BASED ALLOY | BAEP3507      |
| 4ZF     | APPLICATION OF POLYURETHANE FINISH            | BAEP3504      |

GENERAL ENGINEERING TREATMENTS  
 UNIT 8 STOCK ROAD  
 SOUTHEND ON SEA ES  
 01702 410346

Vendor Code  
 10101085

| QA Code | Description                                   | Specification                     |
|---------|---|-----------------------------------|
| 12O     | PASSIVATION                                   | BAEP1516                          |
| 31B2    | CADMIUM PLATING FOR STEEL, TITANIUM & TITANIU | BAEP1514-2PSD1 (SAE-AMS-QQ-P-416) |
| 35C     | NDI: MAGNETIC PARTICLE                        | ASTM E1444                        |
| 35F1    | (NITAL) ETCH INSP'N OF MACHINED STEEL PARTS   | BAEP4544-3PSD2 (AMS2649)          |
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION          | BAEP2501                          |
| 3D      | HARDNESS TESTING                              | BAEP9226                          |
| 3E      | MAGNETIC FLAW DETECTION                       | BAEP2502                          |

|     |   |          |
|-----|---|----------|
| 3H  | FLAW DETECTION (BY ETCHING) (NITAL ETCH)      | BAEP4544 |
| 4A  | CHROMIC ACID ANODIZING                        | BAEP0002 |
| 4F  | CADMIUM PLATING (UNDER 65 TON F/IN2)          | BAEP1514 |
| 4G  | CADMIUM PLATING (65-90 TON F/IN2)             | BAEP1514 |
| 4H  | CADMIUM PLATING (OVER 90 TON F/IN2)           | BAEP1514 |
| 4I  | FLEXIBLE PERMEABLE PAINTING                   | BAEP3528 |
| 4J  | CADMIUM PLATING STAINLESS STEEL               | BAEP1514 |
| 4N  | NICKEL STRIKE PRIOR TO CAD PLATE              | BAEP1512 |
| 4R  | ALOCROM 1200                                  | BAEP0004 |
| 4S  | CHROMATING MAGNESIUM ALLOYS                   | BAEP0005 |
| 4T  | APPLICATION OF PRIMER                         | BAEP3527 |
| 4U  | PHOSPHATE COATING                             | BAEP0006 |
| 4V  | ALUMINIUM SPRAYING                            | BAEP1518 |
| 4X  | ZINC SPRAYING                                 | BAEP1517 |
| 4ZB | THE APPLICATION OF LOW TEMPERATURE STOVING EN | BAEP3532 |
| 4ZC | THE APPLICATION OF COLD CURING EPOXIDE FINISH | BAEP3505 |
| 4ZD | THE APPLICATION OF HIGH TEMPERATURE STOVING E | BAEP3506 |
| 4ZE | PROTECTIVE TREATMENT OF MAGNESIUM BASED ALLOY | BAEP3507 |
| 4ZF | APPLICATION OF POLYURETHANE FINISH            | BAEP3504 |
| 5N  | STRESS RELIEVING OF FERROUS ALLOYS            | BAEP9009 |

GENERAL METAL HEAT TREATING INC  
941 ADDISON ROAD  
CLEVELAND OH  
44103 216-391-0886

Vendor Code  
10133982

| QA Code | Description     | Specification                        |
|---------|-----------------|--------------------------------------|
| 28A0    | HT-ALLOY STEELS | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |

|      |                  |                                       |
|------|------------------|---------------------------------------|
| 28EA | HT: ALLOY STEELS | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 34E  | HARDNESS, MICRO  | ASTM E384                             |
| 34F  | HARDNESS         | TP1601                                |

GENERAL PLASTICS MANUFACTURING CO  
 4910 S BURLINGTON WAY  
 TACOMA WA  
 98409 253-473-5000

Vendor Code  
 104463

| QA Code | Description               | Specification      |
|---------|---------------------------|--------------------|
| 23A     | BURN TEST: INTERIOR MTRLS | BS 414, FAR 25.853 |

GLOBE ENGINEERING COMPANY INC  
 1539 S ST PAUL ST  
 WICHITA KS  
 67213 316-943-1266

Vendor Code  
 117063

| QA Code | Description                                   | Specification            |
|---------|---|--------------------------|
| 2227    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4 P/N 45-524658-3 |

|      |   |                                      |
|------|---|--------------------------------------|
| 22I  | BRZG: TORCH                                   | MIL-B-7883, AWS C3.4                 |
| 27F1 | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327                            |
| 27F3 | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327                            |
| 27F4 | FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING | BS 311327                            |
| 28A0 | HT-ALLOY STEELS                               | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |
| 28A1 | HT:STAINLESS & PH STAINLESS STL               | MIL-H-6875,AMS-H-6875, CL-B          |
| 28A2 | HT:STAINLESS & PH STAINLESS STL               | MIL-H-6875,AMS-H-6875, CL-B          |
| 28A3 | HT:STAINLESS & PH STAINLESS STL               | MIL-H-6875, AMS-H-6875 CL-C          |
| 28A4 | HT:STAINLESS & PH STAINLESS STL               | MIL-H-6875, AMS-H-6875 CL-D          |
| 28A5 | HT:STAINLESS & PH STAINLESS STL               | AMS 2759/3                           |
| 28A6 | HT:STAINLESS & PH STAINLESS STL               | AMS 2759/4                           |
| 28B1 | HT: HT: AL ALY, CAST                          | TP1103                               |
| 28C1 | HT: AL ALY, WROUGHT                           | TP1102                               |



|      |                               |                                       |
|------|-------------------------------|---------------------------------------|
| 28C2 | HT: AL ALY, WROUGHT           | TP1102                                |
| 28EA | HT: ALLOY STEELS              | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28G  | STRESS RELIEF                 | BS25526                               |
| 28M1 | HT: STL ANNEALING&NORMALIZING | AMS 2759/1                            |
| 28M2 | HT: STL ANNEALING&NORMALIZING | AMS 2759/2                            |
| 28M3 | HT: STL ANNEALING&NORMALIZING | MIL-H-6875 CL-A & AMS-H-6875 CL-A     |
| 30H  | LASER BEAM MACHINING (LBM)    | LBM - AS 7116/4                       |
| 34F  | HARDNESS                      | TP1601                                |
| 35B  | NDI: FLUORESCENT              | ASTM E1417                            |
| 35B1 | NDI: CHEMICAL PRE-ETCH        | BS25691                               |
| 36B1 | WLDG: FUSION - AL ALY         | BS 510                                |
| 36B2 | WLDG: FUSION - AL ALY         | MIL-STD-2219                          |
| 36B3 | WLDG: FUSION - AL ALY         | AMS-STD-2219                          |
| 36D1 | WLDG: FUSION - STEEL ALY      | BS 511                                |
| 36D2 | WLDG: FUSION - STEEL ALY      | AMS-STD-2219                          |
| 36D3 | WLDG: FUSION - STEEL ALY      | MIL-STD-2219                          |
| 36EA | WLDG: FUSION - TI ALY         | BS 25272                              |
| 36EB | WLDG: FUSION - TI ALY         | AMS-STD-2219                          |
| 36F  | WLDG: RES - AL ALY            | MIL-W-6858, AMS-W-6858                |
| 36H  | WLDG:RES NI & CO ALY          | MIL-W-6858, AMS-W-6858                |
| 36I  | WLDG: RES - STEEL ALY         | MIL-W-6858, AMS-W-6858                |
| 36J  | WLDG: RES - TI ALY            | MIL-W-6858, AMS-W-6858                |
| 36K  | WLDG: SEAM                    | MIL-W-6858, AMS-W-6858                |
| 36L  | WLDG: SPOT                    | .N/A                                  |

HADD CO INSPECTION LAB INC  
2420 AMSLER ST  
TORRANCE CA  
90505 3103257620

Vendor Code  
10120755

| QA Code | Description            | Specification |
|---------|------------------------|---------------|
| 35B1    | NDI: CHEMICAL PRE-ETCH | BS25691       |
| 35C     | NDI: MAGNETIC PARTICLE | ASTM E1444    |

HARLOW AEROSTRUCTURES LLC  
1501 S MCLEAN BLVD  
WICHITA KS  
67213 316-491-6567

Vendor Code  
10012595

| QA Code | Description                                   | Specification                      |
|---------|---|------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL                       | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327                          |
| 32A     | PAINT   | BS361                              |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL   | MIL-F-18264                        |
| 32D     | PRIMER  | MIL-P-23377; MIL-PRF-23377         |
| 34F     | HARDNESS                                      | TP1601                             |
| 35B     | NDI: FLUORESCENT                              | ASTM E1417                         |
| 35B1    | NDI: CHEMICAL PRE-ETCH                        | BS25691                            |
| 35C     | NDI: MAGNETIC PARTICLE                        | ASTM E1444                         |
| 3J      | CONDUCTIVITY TESTING                          | MIL-STD-1537                       |

HAYNES INTERNATIONAL  
3786 2ND ST  
ARCADIA LA  
71001 318-263-2002

Vendor Code  
10094038

| QA Code | Description     | Specification              |
|---------|-----------------|----------------------------|
| 35E     | NDI: ULTRASONIC | MIL-STD-2154, AMS-STD-2154 |

HEARTLAND PRECISION FASTENERS  
301 PRAIRIE VILLAGE DR  
NEW CENTURY KS  
66031 913-829-4447

Vendor Code  
10122299

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

|     |                        |             |
|-----|------------------------|-------------|
| 28K | EMBRITTLMENT RELIEF    | BS25526     |
| 34E | HARDNESS, MICRO        | ASTM E384   |
| 34F | HARDNESS               | TP1601      |
| 34G | MECHANICAL             | ASTM E8     |
| 34H | METALLURGICAL          | AS REQUIRED |
| 35C | NDI: MAGNETIC PARTICLE | ASTM E1444  |

HERCULES HEAT TREAT  
101 113 CLASSON AVE  
BROOKLYN NY  
11205 718-625-1266

Vendor Code  
10118810

| QA Code | Description          | Specification                         |
|---------|----------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS      | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28B1    | HT: HT: AL ALY, CAST | TP1103                                |
| 28B2    | HT: AL ALY, CAST     | TP1103                                |
| 28C2    | HT: AL ALY, WROUGHT  | TP1102                                |
| 28EA    | HT: ALLOY STEELS     | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28I     | HT: AERMET 100       | AMS 6532                              |
| 28R     | NICKEL AND COBALT    | AMS2774                               |
| 34F     | HARDNESS             | TP1601                                |
| 34G     | MECHANICAL           | ASTM E8                               |
| 34H     | METALLURGICAL        | AS REQUIRED                           |

HEXCEL CORPORATION  
6700 WEST 5400 SOUTH  
WEST VALLEY CITY UT  
84118 817-315-3939

Vendor Code  
10096647

| QA Code | Description                            | Specification |
|---------|--|---------------|
| 26I     | CMPST: FAB BISMALIMIDE (BMI) PREPREG   | BS 23966      |
| 26J     | CMPST: FAB GLASS FABRIC BASE LAMINATES | BS 20615      |

HYDE AERO PRODUCTS LTD (GBP)  
 TUDOR WKS ASHTON ST  
 DUKINFIELD CH  
 161-343-5844

Vendor Code  
 10022389

| QA Code | Description                                      | Specification               |
|---------|--|-----------------------------|
| 12W     | DE-OXIDATION OF ALUMINIUM ALLOYS                 | BAEP9225                    |
| 35B3    | NDI: FLUORESCENT                                 | BAEP2501-5PSD1 (ASTM E1417) |
| 35D     | NDI: RADIOGRAPHIC                                | MIL-STD-453, ASTM E1742     |
| 3A      | NDT USING ANODISING                              | BAEP0002                    |
| 3D      | HARDNESS TESTING                                 | BAEP9226                    |
| 3E      | MAGNETIC FLAW DETECTION                          | BAEP2502                    |
| 3J1     | CONDUCTIVITY TESTING                             | BAEP9088                    |
| 5A      | ANNEALING (ALUMINUM ALLOYS)                      | BAEP9006                    |
| 5B      | SOLUTION TREATMENT (ALUMINIUM ALLOYS)            | BAEP9006                    |
| 5C      | PRECIPITATION (ALUMINIUM ALLOYS)                 | BAEP9006                    |
| 5V      | SUPER ANNEALING (ALUMINIUM ALLOYS)               | BAEP9006                    |
| 6C      | FUSION WELDING ALUMINIUM ALLOY                   | BAEP4521                    |
| 6D      | FUSION WELDING CARBON STEELS                     | BAEP4521                    |
| 6F      | FUSION WELDING CORROSION AND HEAT RESISTING<br>S | BAEP4521                    |
| 6J      | FUSION WELDING TITANIUM ALLOYS                   | PER ENGINEERING DRAWINGS    |
| 6N      | RESISTANCE WELDING - SPOT                        | BAEP4523                    |
| 6S      | BRAZING - COPPER, NICKEL & STEELS                | BAEP4520                    |
| 8S      | MECHANICAL TESTING OF METALLIC MATERIALS         | .N/A                        |

HYDE COATINGS LIMITED  
 BRIDGE ST STALYBRIDGE  
 CHESHIRE CH  
 0161 303 4000

Vendor Code  
 10132724

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

|     |   |                            |
|-----|---|----------------------------|
| 12W | DE-OXIDATION OF ALUMINIUM ALLOYS              | BAEP9225                   |
| 32A | PAINT   | BS361                      |
| 32D | PRIMER  | MIL-P-23377; MIL-PRF-23377 |
| 4A  | CHROMIC ACID ANODIZING                        | BAEP0002                   |
| 4I  | FLEXIBLE PERMEABLE PAINTING                   | BAEP3528                   |
| 4R  | ALOCROM 1200                                  | BAEP0004                   |
| 4T  | APPLICATION OF PRIMER                         | BAEP3527                   |
| 4X  | ZINC SPRAYING                                 | BAEP1517                   |
| 4ZC | THE APPLICATION OF COLD CURING EPOXIDE FINISH | BAEP3505                   |
| 4ZF | APPLICATION OF POLYURETHANE FINISH            | BAEP3504                   |

HYTEK FINISHES COMPANY INC  
8127 S 216TH ST  
KENT WA  
98032 253-872-7160

Vendor Code  
10063123

| QA Code | Description                             | Specification                      |
|---------|---|------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL                 | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 32A5    | CORROSION RESIST FUEL CELL EPOXY PRIMER | BS25032                            |
| 32D     | PRIMER                                  | MIL-P-23377; MIL-PRF-23377         |
| 35B     | NDI: FLUORESCENT                        | ASTM E1417                         |
| 35B1    | NDI: CHEMICAL PRE-ETCH                  | BS25691                            |

IMAGINEERING FINISHING TECH  
1302 W SAMPLE ST  
SOUTH BEND IN  
46619 574-287-2941

Vendor Code  
10107342

| QA Code | Description                      | Specification                         |
|---------|----------------------------------|---------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL          | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M     | SOLID FILM, LUBRICANT HEAT CURED | MIL-PRF-46010                         |
| 25N     | PICKLE AND PASSIVATE             | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |

|     |                           |             |
|-----|---------------------------|-------------|
| 31J | NICKEL, ELECTROLESS PLATE | MIL-C-26074 |
| 32A | PAINT                     | BS361       |
| 35B | NDI: FLUORESCENT          | ASTM E1417  |
| 35C | NDI: MAGNETIC PARTICLE    | ASTM E1444  |

IMPACT FINISHERS  
107 109 WHITBY ROAD  
SLOUGH BK  
01753 215676

Vendor Code  
10101090

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 12B     | SHOT PEENING - SATURATION                     | BAEP2001      |
| 12T     | GLASS BEED PEENING                            | BAEP2007      |
| 19F     | CORRECTION OF DISTORTED ALUMINIUM PARTS       | BAEP4634      |
| 19M     | STEEL SHOT PEENING FOR IMPROVED FATIGUE, STRE | BAEP2009      |

INFLITE ENGINEERING SERVICES AND  
WOODSIDE INDUSTRIAL ESTATE  
BISHOPS STORTFORD  
01279 681 681

Vendor Code  
10132721

| QA Code | Description                           | Specification           |
|---------|---------------------------------------|-------------------------|
| 35D     | NDI: RADIOGRAPHIC                     | MIL-STD-453, ASTM E1742 |
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION  | BAEP2501                |
| 3D      | HARDNESS TESTING                      | BAEP9226                |
| 3J      | CONDUCTIVITY TESTING                  | MIL-STD-1537            |
| 5A      | ANNEALING (ALUMINUM ALLOYS)           | BAEP9006                |
| 5B      | SOLUTION TREATMENT (ALUMINIUM ALLOYS) | BAEP9006                |
| 5C      | PRECIPITATION (ALUMINIUM ALLOYS)      | BAEP9006                |
| 5D      | PRE-AGEING (ALUMINIUM ALLOYS)         | BAEP9006                |
| 5N      | STRESS RELIEVING OF FERROUS ALLOYS    | BAEP9009                |
| 5O      | DE-EMBRITTEMENT (FERROUS ALLOYS)      | BAEP1514                |

|    |   |                          |
|----|---|--------------------------|
| 5U | STRESS RELIEVING (TITANIUM & TITANIUM ALLOYS) | BAEP9007                 |
| 5V | SUPER ANNEALING (ALUMINIUM ALLOYS)            | BAEP9006                 |
| 6A | BRAZING-ALUMINIUM ALLOY                       | BAEP4535                 |
| 6C | FUSION WELDING ALUMINIUM ALLOY                | BAEP4521                 |
| 6D | FUSION WELDING CARBON STEELS                  | BAEP4521                 |
| 6F | FUSION WELDING CORROSION AND HEAT RESISTING S | BAEP4521                 |
| 6J | FUSION WELDING TITANIUM ALLOYS                | PER ENGINEERING DRAWINGS |
| 6M | RESISTANCE WELDING - SEAM                     | BAEP4523                 |
| 6N | RESISTANCE WELDING - SPOT                     | BAEP4523                 |

JENCO PLATING  
 9536 E RUSH ST  
 SOUTH EL MONTE CA  
 91733 626-443-6705

Vendor Code  
 10110816

| QA Code | Description                              | Specification                      |
|---------|--|------------------------------------|
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471               |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472               |
| 25I     | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 34L     | WET SOLUTION ANALYSIS                    | AS REQUIRED                        |

JFIMS LTD  
 FACTORY ROAD  
 SANDYCROFT DEESIDE FL  
 1244 520058

Vendor Code  
 10101096

| QA Code | Description       | Specification           |
|---------|-------------------|-------------------------|
| 35D     | NDI: RADIOGRAPHIC | MIL-STD-453, ASTM E1742 |
| 3F      | RADIOGRAPHY       | HBQSC/QA/SC140          |

K&L ANODIZING CORPORATION  
 1200 S VICTORY BLVD  
 BURBANK CA  
 91502 818-845-7251

Vendor Code  
 10080657

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

|      |  |                                    |
|------|--|------------------------------------|
| 25B  | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                |
| 25C  | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471               |
| 25D  | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472               |
| 25E  | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469               |
| 25H  | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I  | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25N1 | PASSIVATE:CORROSION RESIST STLS          | BS4692, ASTM A967                  |

|   |                         |
|---|-------------------------|
| KAISER ALUMINUM & CHEMICAL CORP<br>15000 E EUCLID AVE<br>SPOKANE WA<br>99216 509-924-1500 | Vendor Code<br>10100378 |
|---|-------------------------|

| QA Code | Description     | Specification              |
|---------|-----------------|----------------------------|
| 35E     | NDI: ULTRASONIC | MIL-STD-2154, AMS-STD-2154 |

|   |                         |
|---|-------------------------|
| KAISER ALUMINUM ALEXCO<br>6520 W ALLISON<br>CHANDLER AZ<br>85226 866-525-3926 | Vendor Code<br>10015398 |
|---|-------------------------|

| QA Code | Description         | Specification |
|---------|---------------------|---------------|
| 28C1    | HT: AL ALY, WROUGHT | TP1102        |
| 28C2    | HT: AL ALY, WROUGHT | TP1102        |

|   |                         |
|---|-------------------------|
| KAMAN COMPOSITES<br>1650 S MCCOMAS ST<br>WICHITA KS<br>67213 316-942-1241 | Vendor Code<br>10028124 |
|---|-------------------------|

| QA Code | Description                         | Specification                      |
|---------|-------------------------------------|------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL             | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL              | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 26A     | CMPST: FAB ARAMID                   | BS 23769                           |
| 26B     | CMPST: FAB PREPREG                  | BS 23767                           |
| 26C     | CMPST: RESIN TRANSFER MOLDING (RTM) | BS 25271                           |



|      |  |          |
|------|--|----------|
| 26D  | CMPST: FAB PREPREG FIBERGLASS 250-350 CURE | BS 23771 |
| 26E  | CMPST: FIBER PLACEMENT                     | BS 24946 |
| 26F  | CMPST: 2ND BOND RM TEMP                    | BS 23738 |
| 26G  | CMPST: 2ND BOND CURING                     | BS 23773 |
| 26H  | CMPST: TESTING                             | BS 23717 |
| 29A  | METAL BONDING                              | BS 2647  |
| 32A9 | CORROSION INHIBIT ADHESIVE PRIMER          | BS23865  |
| 32K  | ANTI-STATIC PAINT                          | BS24190  |

KING & FOWLER UK LTD  
BRUNSWICK BUSINESS PARK  
LIVERPOOL  
1517028443

Vendor Code  
10130253

| QA Code | Description                                 | Specification            |
|---------|---|--------------------------|
| 12O     | PASSIVATION                                 | BAEP1516                 |
| 35F1    | (NITAL) ETCH INSP'N OF MACHINED STEEL PARTS | BAEP4544-3PSD2 (AMS2649) |
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION        | BAEP2501                 |
| 3D      | HARDNESS TESTING                            | BAEP9226                 |
| 3E      | MAGNETIC FLAW DETECTION                     | BAEP2502                 |
| 4A      | CHROMIC ACID ANODIZING                      | BAEP0002                 |
| 4C      | SULPHURIC ACID ANODIZING                    | BAEP0003                 |
| 4F      | CADMIUM PLATING (UNDER 65 TON F/IN2)        | BAEP1514                 |
| 4G      | CADMIUM PLATING (65-90 TON F/IN2)           | BAEP1514                 |
| 4H      | CADMIUM PLATING (OVER 90 TON F/IN2)         | BAEP1514                 |
| 4I      | FLEXIBLE PERMEABLE PAINTING                 | BAEP3528                 |
| 4J      | CADMIUM PLATING STAINLESS STEEL             | BAEP1514                 |
| 4K      | COPPER PLATING                              | BAEP1520                 |

|     |                                    |          |
|-----|------------------------------------|----------|
| 4M  | CHROMIUM PLATING (HARD)            | BAEP1519 |
| 4N  | NICKEL STRIKE PRIOR TO CAD PLATE   | BAEP1512 |
| 4R  | ALOCROM 1200                       | BAEP0004 |
| 4T  | APPLICATION OF PRIMER              | BAEP3527 |
| 4U  | PHOSPHATE COATING                  | BAEP0006 |
| 4ZF | APPLICATION OF POLYURETHANE FINISH | BAEP3504 |
| 5N  | STRESS RELIEVING OF FERROUS ALLOYS | BAEP9009 |
| 5O  | DE-EMBRITTLMENT (FERROUS ALLOYS)   | BAEP1514 |

KITTYHAWK PRODUCTS  
11651 MONARCH STREET  
GARDEN GROVE CA  
92841 714-895-5024

Vendor Code  
10129081

| QA Code | Description                    | Specification |
|---------|--------------------------------|---------------|
| 30K     | HOT ISOSTATIC PROCESSING (HIP) | BS25691       |

LAMBDA RESEARCH INC  
5521 FAIR LANE  
CINCINNATI OH  
45227 513-561-0883

Vendor Code  
10091777

| QA Code | Description                              | Specification     |
|---------|--|-------------------|
| 34C     | CHEMICAL SPECTROCHEMICAL ANALYSIS        | STANDARD PRACTICE |
| 34F     | HARDNESS                                 | TP1601            |
| 8S      | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A              |

LEADING EDGE MANUFACTURING LLC  
2350 WEST SHANGRI LA RD  
PHOENIX AZ  
85029 602-328-4223

Vendor Code  
10135150

| QA Code | Description   | Specification        |
|---------|---------------|----------------------|
| 22B     | BRZG: COPPER  | MIL-B-7883, AWS C3.6 |
| 22C     | BRZG: NICKEL  | MIL-B-7883, AWS C3.6 |
| 22D     | BRZG: FURNACE | MIL-B-7883, AWS C3.6 |

LEADING TECHNOLOGY COMPOSITES INC  
 2626 W MAY ST  
 WICHITA KS  
 67213 316-944-0011

Vendor Code  
 10100486

| QA Code | Description                                | Specification              |
|---------|--|----------------------------|
| 26D     | CMPST: FAB PREPREG FIBERGLASS 250-350 CURE | BS 23771                   |
| 26F     | CMPST: 2ND BOND RM TEMP                    | BS 23738                   |
| 26I     | CMPST: FAB BISMALIMIDE (BMI) PREPREG       | BS 23966                   |
| 26J     | CMPST: FAB GLASS FABRIC BASE LAMINATES     | BS 20615                   |
| 32D     | PRIMER                                     | MIL-P-23377; MIL-PRF-23377 |
| 32K     | ANTI-STATIC PAINT                          | BS24190                    |

LIBERTY INSPECTION  
 67 WEST EASY STREET 109  
 SIMI VALLEY CA  
 93065 805-584-2369

Vendor Code  
 10129434

| QA Code | Description                      | Specification           |
|---------|----------------------------------|-------------------------|
| 35B     | NDI: FLUORESCENT                 | ASTM E1417              |
| 35B1    | NDI: CHEMICAL PRE-ETCH           | BS25691                 |
| 35C     | NDI: MAGNETIC PARTICLE           | ASTM E1444              |
| 35D     | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742 |
| XRI     | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742             |

LINREAD LTD  
 CROSSGATE RD PARK FARM  
 REDDITCH WC  
 152-752-5719

Vendor Code  
 10016393

| QA Code | Description                              | Specification |
|---------|--|---------------|
| 3D      | HARDNESS TESTING                         | BAEP9226      |
| 3E      | MAGNETIC FLAW DETECTION                  | BAEP2502      |
| 3H      | FLAW DETECTION (BY ETCHING) (NITAL ETCH) | BAEP4544      |

LMI AEROSPACE INC (CUBA)  
 106 MIDLAND DRIVE  
 CUBA MO  
 65453 573-885-3018

Vendor Code  
 10067127

| QA Code | Description                                 | Specification                      |
|---------|---|------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471               |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472               |
| 25E     | HARD COAT ANODIZE, TYPE III - AL            | MIL-A-8625, AMS 2469               |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 32A     | PAINT                                       | BS361                              |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                        |
| 32A5    | CORROSION RESIST FUEL CELL EPOXY PRIMER     | BS25032                            |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377         |
| 34C     | CHEMICAL SPECTROCHEMICAL ANALYSIS           | STANDARD PRACTICE                  |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                         |
| 35B1    | NDI: CHEMICAL PRE-ETCH                      | BS25691                            |

LORAC COMPANY INC  
 624 E HARRY ST  
 WICHITA KS  
 67211 316-263-2565

Vendor Code  
 10085722

| QA Code | Description | Specification       |
|---------|-------------|---------------------|
| 32C     | POWDER COAT | COMMERCIAL PRACTICE |

LYNN WELDING CO INC  
 75 ROCKWELL ROAD  
 NEWINGTON CT  
 6111 860-667-4400

Vendor Code  
 10131601

| QA Code | Description           | Specification |
|---------|-----------------------|---------------|
| 36B1    | WLDG: FUSION - AL ALY | BS 510        |

|      |                          |                        |
|------|--------------------------|------------------------|
| 36C1 | WLDG: FUSION - MG        | AMS-STD-2219           |
| 36D1 | WLDG: FUSION - STEEL ALY | BS 511                 |
| 36EA | WLDG: FUSION - TI ALY    | BS 25272               |
| 36F  | WLDG: RES - AL ALY       | MIL-W-6858, AMS-W-6858 |
| 36G  | WLDG: RES - MG ALY       | MIL-W-6858, AMS-W-6858 |
| 36H  | WLDG: RES NI & CO ALY    | MIL-W-6858, AMS-W-6858 |
| 36I  | WLDG: RES - STEEL ALY    | MIL-W-6858, AMS-W-6858 |
| 36J  | WLDG: RES - TI ALY       | MIL-W-6858, AMS-W-6858 |
| 36K  | WLDG: SEAM               | MIL-W-6858, AMS-W-6858 |

MAGNESIUM ALLOY PRODUCTS CO  
2420 N ALAMEDA ST  
COMPTON CA  
90222 310-605-1440

Vendor Code  
10010842

| QACode | Description          | Specification          |
|--------|----------------------|------------------------|
| 28B1   | HT: HT: AL ALY, CAST | TP1103                 |
| 28F    | HT: MAGNESIUM        | MIL-M-6857, AMS-M-6857 |

MAGNETIC & PENETRANT  
8135 1ST AVE S  
SEATTLE WA  
98108 206-762-5855

Vendor Code  
10098525

| QACode | Description                              | Specification                      |
|--------|--|------------------------------------|
| 25B    | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                |
| 25C    | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471               |
| 25D    | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472               |
| 25H    | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I    | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 30B1   | PEENING: SHOT                            | AMS-S-13165                        |
| 32A    | PAINT                                    | BS361                              |

|      |                        |                            |
|------|------------------------|----------------------------|
| 32D  | PRIMER                 | MIL-P-23377; MIL-PRF-23377 |
| 35B  | NDI: FLUORESCENT       | ASTM E1417                 |
| 35B1 | NDI: CHEMICAL PRE-ETCH | BS25691                    |
| 35C  | NDI: MAGNETIC PARTICLE | ASTM E1444                 |

MAGNETIC INSPECTION LAB INC  
1401 GREENLEAF AVE  
ELK GROVE VILLAGE IL  
60007 847-437-4488

Vendor Code  
10098215

| QA Code | Description                                 | Specification                         |
|---------|---|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625, AMS 2470                  |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL            | MIL-A-8625, AMS 2469                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N     | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25O     | PHOSPHATE CVRSN COAT-STL                    | AMS 2480, AMS 2481                    |
| 32A     | PAINT                                       | BS361                                 |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                            |
| 35B1    | NDI: CHEMICAL PRE-ETCH                      | BS25691                               |
| 35C     | NDI: MAGNETIC PARTICLE                      | ASTM E1444                            |
| 35D     | NDI: RADIOGRAPHIC                           | MIL-STD-453, ASTM E1742               |

MANUFACTURING DEVELOPMENT INC  
37515 W 15TH ST S, PO BOX 550  
CHENEY KS  
67025 316-542-3166

Vendor Code  
10013188

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

|     |                             |                                 |
|-----|-----------------------------|---------------------------------|
| 27A | FORMING: HOT - AL ALY       | BS 25339                        |
| 27C | FORMING: HOT - TITANIUM ALY | AS REQUIRED BY RAC ENG. DRAWING |
| 30H | LASER BEAM MACHINING (LBM)  | LBM - AS 7116/4                 |

MANUFACTURING SOLUTIONS INC  
 2320 N OLIVER ROAD  
 NEWTON KS  
 67114 316-282-0556

Vendor Code  
 10041329

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |
| 27G1    | FRMING/STRAIGHTENING AL ALY: COLD FORMING     | P1103         |

MAYCAST NOKES PRECISION ENGINEERIN  
 FACTORY LANE WEST  
 HALSTEAD ES  
 1787-477021

Vendor Code  
 10101093

| QA Code | Description                           | Specification               |
|---------|---------------------------------------|-----------------------------|
| 35B3    | NDI: FLUORESCENT                      | BAEP2501-5PSD1 (ASTM E1417) |
| 3D      | HARDNESS TESTING                      | BAEP9226                    |
| 3F      | RADIOGRAPHY                           | HBQSC/QA/SC140              |
| 5B      | SOLUTION TREATMENT (ALUMINIUM ALLOYS) | BAEP9006                    |
| 5C      | PRECIPITATION (ALUMINIUM ALLOYS)      | BAEP9006                    |

MAYNARD INC-AR  
 7175 S MCGUIRE ST  
 FAYETTEVILLE AR  
 72704 479-443-6677

Vendor Code  
 112230

| QA Code | Description                                   | Specification                  |
|---------|---|--------------------------------|
| 22I     | BRZG: TORCH                                   | MIL-B-7883, AWS C3.4           |
| 27E     | FORMING: HOT - ALLOY STEELS                   | AS REQUIRED BY RAC ENG.DRAWING |
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327                      |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327                      |

|      |   |                                      |
|------|---|--------------------------------------|
| 27F4 | FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING | BS 311327                            |
| 27G1 | FRMING/STRAIGHTENING AL ALY: COLD FORMING     | P1103                                |
| 28A0 | HT-ALLOY STEELS                               | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |
| 28C1 | HT: AL ALY, WROUGHT                           | TP1102                               |
| 28C2 | HT: AL ALY, WROUGHT                           | TP1102                               |
| 32A  | PAINT   | BS361                                |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL   | MIL-F-18264                          |
| 32A3 | FINISHES & COATING (MHI)                      | P2700                                |
| 32D  | PRIMER  | MIL-P-23377; MIL-PRF-23377           |
| 32D1 | EPOXY TOP COAT                                | MIL-PRF-22750                        |
| 34F  | HARDNESS                                      | TP1601                               |
| 36B1 | WLDG: FUSION - AL ALY                         | BS 510                               |
| 36B3 | WLDG: FUSION - AL ALY                         | AMS-STD-2219                         |
| 36D1 | WLDG: FUSION - STEEL ALY                      | BS 511                               |
| 36D2 | WLDG: FUSION - STEEL ALY                      | AMS-STD-2219                         |
| 36EA | WLDG: FUSION - TI ALY                         | BS 25272                             |
| 36F  | WLDG: RES - AL ALY                            | MIL-W-6858, AMS-W-6858               |
| 36H  | WLDG:RES NI & CO ALY                          | MIL-W-6858, AMS-W-6858               |
| 36I  | WLDG: RES - STEEL ALY                         | MIL-W-6858, AMS-W-6858               |
| 36K  | WLDG: SEAM                                    | MIL-W-6858, AMS-W-6858               |
| 36L  | WLDG: SPOT                                    | .N/A                                 |
| 3J   | CONDUCTIVITY TESTING                          | MIL-STD-1537                         |



MCWILLIAMS FORGE CO., A PCC CO  
 387 FRANKLIN AVENUE  
 ROCKAWAY NJ  
 7866 973-627-0200-202

Vendor Code  
 10130790

| QA Code | Description                   | Specification |
|---------|-------------------------------|---------------|
| 28A7    | HT: STAINLESS MARTENSITIC STL | AMS 2759/5    |
| 35B     | NDI: FLUORESCENT              | ASTM E1417    |
| 35B1    | NDI: CHEMICAL PRE-ETCH        | BS25691       |
| 35C     | NDI: MAGNETIC PARTICLE        | ASTM E1444    |

METAL FINISHING CO INC  
 701- 721 E MURDOCK ST  
 WICHITA KS  
 67214 316-267-7289

Vendor Code  
 10130235

| QA Code | Description                             | Specification                      |
|---------|---|------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL                 | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 28B2    | HT: AL ALY, CAST                        | TP1103                             |
| 28C1    | HT: AL ALY, WROUGHT                     | TP1102                             |
| 28C2    | HT: AL ALY, WROUGHT                     | TP1102                             |
| 32A     | PAINT                                   | BS361                              |
| 32A1    | PAINT: AIRCRAFT INTEGRAL FUEL TANKS     | MIL-C-27725, AMS-C-27725           |
| 32A5    | CORROSION RESIST FUEL CELL EPOXY PRIMER | BS25032                            |
| 32A6    | FINISH PROC. FOR MODELS USING URETHANE  | BS22455                            |
| 32A7    | PAINT, PRIMER, HIGH TEMPERATURE EPOXY   | BS25457                            |
| 32D     | PRIMER                                  | MIL-P-23377; MIL-PRF-23377         |
| 32D1    | EPOXY TOP COAT                          | MIL-PRF-22750                      |
| 32K     | ANTI-STATIC PAINT                       | BS24190                            |
| 34F     | HARDNESS                                | TP1601                             |
| 35B     | NDI: FLUORESCENT                        | ASTM E1417                         |

|      |                                  |                            |
|------|----------------------------------|----------------------------|
| 35B1 | NDI: CHEMICAL PRE-ETCH           | BS25691                    |
| 35D  | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742    |
| 35E  | NDI: ULTRASONIC                  | MIL-STD-2154, AMS-STD-2154 |
| XRI  | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742                |

METAL FINISHING CO INC  
1423 S MCLEAN BLVD  
WICHITA KS  
67213 316-267-7289

Vendor Code  
104064

| QA Code | Description                              | Specification                         |
|---------|--|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469                  |
| 25F     | BLACK OXIDE CVRSN COAT- STL              | AMS 2485                              |
| 25F1    | BLACK OXIDE CVRSN COAT- STL              | MIL-C-13924, MIL-DTL-13924            |
| 25H     | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25J     | CVRSN COAT, MG-DOW 7                     | AMS-M-3171, AMS 2475                  |
| 25K     | CVRSN COAT, MG-DOW 19                    | AMS-M-3171, AMS 2475                  |
| 25L1    | DRI-LUBE-MAGNESIUM                       | MIL-M-45202, ASTM D 1732              |
| 25L2    | DRI-LUBE-MAGNESIUM                       | AMS-M-45202, ASTM D 1732              |
| 25M     | SOLID FILM, LUBRICANT HEAT CURED         | MIL-PRF-46010                         |
| 25N     | PICKLE AND PASSIVATE                     | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25N1    | PASSIVATE:CORROSION RESIST STLS          | BS4692, ASTM A967                     |
| 25O     | PHOSPHATE CVRSN COAT-STL                 | AMS 2480, AMS 2481                    |
| 25P1    | MANGANESE PHOS - STL                     | MIL-DTL-16232                         |

|      |  |                                   |
|------|--|-----------------------------------|
| 25P2 | MANGANESE PHOS - STL                           | AMS 2480                          |
| 25P3 | MANGANESE PHOS - STL                           | AMS 2481                          |
| 25P4 | ZINC PHOS - STL                                | MIL-DTL-16232                     |
| 28G  | STRESS RELIEF                                  | BS25526                           |
| 28K  | EMBRITTLMENT RELIEF                            | BS25526                           |
| 30B  | PEENING: SHOT                                  | MIL-S-13165, AMS 2430             |
| 31A  | CD PL, BRUSH                                   | MIL-STD-865, AMS 2451/4           |
| 31B  | CD PL, TYPE I,II                               | QQ-P-416, AMS 2400, AMS 2401      |
| 31B2 | CADMIUM PLATING FOR STEEL, TITANIUM & TITANIUM | BAEP1514-2PSD1 (SAE-AMS-QQ-P-416) |
| 31E  | CRPL, DECORATIVE                               | QQ-C-320                          |
| 31F  | CRPL, HARD                                     | QQ-C-320, AMS 2406                |
| 31F1 | HARD CHROME PLATING                            | BAEP1519-6PSD1 (SAE-AMS-QQ-C-320) |
| 31G  | COPPER PL                                      | MIL-C-14550, AMS 2418             |
| 31I  | NICKEL PL                                      | QQ-N-290, AMS 2403                |
| 31J  | NICKEL, ELECTROLESS PLATE                      | MIL-C-26074                       |
| 31K  | ZINC PLATING                                   | ASTM B633                         |
| 31L  | TIN PLATING                                    | AMS 2408                          |
| 31N  | SILVER   | QQ-S-365                          |
| 32A  | PAINT  | BS361                             |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL    | MIL-F-18264                       |
| 32A3 | FINISHES & COATING (MHI)                       | P2700                             |
| 32A5 | CORROSION RESIST FUEL CELL EPOXY PRIMER        | BS25032                           |
| 32A6 | FINISH PROC. FOR MODELS USING URETHANE         | BS22455                           |
| 32D  | PRIMER   | MIL-P-23377; MIL-PRF-23377        |

|      |                                      |                            |
|------|--------------------------------------|----------------------------|
| 32E  | THERMAL SPRAY COATINGS               | BS25328                    |
| 35A  | NDI: EDDY CURRENT                    | ASTM E215                  |
| 35B  | NDI: FLUORESCENT                     | ASTM E1417                 |
| 35B1 | NDI: CHEMICAL PRE-ETCH               | BS25691                    |
| 35C  | NDI: MAGNETIC PARTICLE               | ASTM E1444                 |
| 35D  | NDI: RADIOGRAPHIC                    | MIL-STD-453, ASTM E1742    |
| 35E  | NDI: ULTRASONIC                      | MIL-STD-2154, AMS-STD-2154 |
| 3C   | FLUORESCENT DYE PENETRANT INSPECTION | BAEP2501                   |
| 3E   | MAGNETIC FLAW DETECTION              | BAEP2502                   |
| 4A   | CHROMIC ACID ANODIZING               | BAEP0002                   |
| 4J   | CADMIUM PLATING STAINLESS STEEL      | BAEP1514                   |
| 4T   | APPLICATION OF PRIMER                | BAEP3527                   |
| 4U   | PHOSPHATE COATING                    | BAEP0006                   |
| 4ZF  | APPLICATION OF POLYURETHANE FINISH   | BAEP3504                   |
| 4ZK  | APPLICATION OF ANTI-FRETTING PRIMER  | BAEP3513                   |
| 5N   | STRESS RELIEVING OF FERROUS ALLOYS   | BAEP9009                   |
| XRI  | X-RAY INTERPRETATION OF CASTINGS     | ASTM E 1742                |

METAL FINISHING COMPANY  
1630 W HARRY ST  
WICHITA KS  
316-267-7289

Vendor Code  
10135131

| QA Code | Description     | Specification                        |
|---------|-----------------|--------------------------------------|
| 28A0    | HT-ALLOY STEELS | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |

METAL FINISHING COMPANY LLC  
AV NICOLAS GOGOL 11332  
CHIHUAHUA  
31136 316-267-7289

Vendor Code  
10131159

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

|      |   |                                    |
|------|---|------------------------------------|
| 25B  | ANDZ, TYPE I - AL                       | MIL-A-8625,AMS 2470                |
| 25H  | CVRSN COAT, CLASS 1A-AL                 | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I  | CVRSN COAT, CLASS 3-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 32A  | PAINT                                   | BS361                              |
| 32A1 | PAINT: AIRCRAFT INTEGRAL FUEL TANKS     | MIL-C-27725, AMS-C-27725           |
| 32A5 | CORROSION RESIST FUEL CELL EPOXY PRIMER | BS25032                            |
| 32A6 | FINISH PROC. FOR MODELS USING URETHANE  | BS22455                            |
| 32D  | PRIMER                                  | MIL-P-23377; MIL-PRF-23377         |
| 32D1 | EPOXY TOP COAT                          | MIL-PRF-22750                      |
| 35B  | NDI: FLUORESCENT                        | ASTM E1417                         |

METAL IMPROVEMENT  
2151 S HATHAWAY ST  
SANTA ANA CA  
92705 714-546-4160

Vendor Code  
10091909

| QA Code | Description                  | Specification         |
|---------|------------------------------|-----------------------|
| 30B     | PEENING: SHOT                | MIL-S-13165, AMS 2430 |
| 30B1    | PEENING: SHOT                | AMS-S-13165           |
| 30B2    | PEENING: SHOT                | AMS 2430              |
| 30D     | PEENING: COMPUTER CONTROLLED | AS 7117               |
| 30D1    | PEENING: COMPUTER CONTROLLED | AMS 2432              |

METAL IMPROVEMENT CO LLC  
NEWBURY DIVISION HAMBRIDGE LANE  
NEWBURY BK  
01635 279615

Vendor Code  
10109108

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 12T     | GLASS BEED PEENING                            | BAEP2007      |
| 19D     | SHOT PEENING - SATURATION                     | BAEP2001      |
| 19M     | STEEL SHOT PEENING FOR IMPROVED FATIGUE, STRE | BAEP2009      |

METAL IMPROVEMENT COMPANY  
 440 N WEST RD  
 WELLINGTON KS  
 67152 620-326-5509

Vendor Code  
 10024242

| QA Code | Description                        | Specification         |
|---------|------------------------------------|-----------------------|
| 30B     | PEENING: SHOT                      | MIL-S-13165, AMS 2430 |
| 30C     | PEENING: SHOT, FORM 390-WING SKINS | BS25276               |

METAL IMPROVEMENT COMPANY  
 CHESTER ROAD HAWARDEN AIRPORT  
 BROUGHTON FL  
 01244 534 999

Vendor Code  
 10109107

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 12B     | SHOT PEENING - SATURATION                     | BAEP2001      |
| 12T     | GLASS BEED PEENING                            | BAEP2007      |
| 19D     | SHOT PEENING - SATURATION                     | BAEP2001      |
| 19E     | SHOT PEEN FORMING (FERROUS AND NON-FERROUS)   | BAEP4634      |
| 19F     | CORRECTION OF DISTORTED ALUMINIUM PARTS       | BAEP4634      |
| 19M     | STEEL SHOT PEENING FOR IMPROVED FATIGUE, STRE | BAEP2009      |

METALTEST INC  
 1205 5TH AVE S  
 KENT WA  
 98032 253-813-5970

Vendor Code  
 10126744

| QA Code | Description                              | Specification           |
|---------|--|-------------------------|
| 34E     | HARDNESS, MICRO                          | ASTM E384               |
| 34F     | HARDNESS                                 | TP1601                  |
| 34G     | MECHANICAL                               | ASTM E8                 |
| 36      | WELDER QUALIFICATION                     | MIL-STD-1595, AWS D17.1 |
| 3D      | HARDNESS TESTING                         | BAEP9226                |
| 8S      | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A                    |

METTIS AEROSPACE LTD  
WINDSOR ROAD  
REDDITCH WORCESTERSHIRE  
152-740-6400

Vendor Code  
10109111

| QA Code | Description                              | Specification              |
|---------|--|----------------------------|
| 34H     | METALLURGICAL                            | AS REQUIRED                |
| 35E     | NDI: ULTRASONIC                          | MIL-STD-2154, AMS-STD-2154 |
| 3B      | DYE PENETRANT                            | BAEP2501                   |
| 3D      | HARDNESS TESTING                         | BAEP9226                   |
| 3E      | MAGNETIC FLAW DETECTION                  | BAEP2502                   |
| 5B      | SOLUTION TREATMENT (ALUMINIUM ALLOYS)    | BAEP9006                   |
| 5C      | PRECIPITATION (ALUMINIUM ALLOYS)         | BAEP9006                   |
| 5G      | HARDENING AND TEMPERING (FERROUS ALLOYS) | BAEP9008                   |
| 8S      | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A                       |

MIDDLETON SHEET METAL CO LTD  
SPRING VALE WORKS MIDDLETON  
MANCHESTER  
161 643 2462

Vendor Code  
10101095

| QA Code | Description               | Specification |
|---------|---------------------------|---------------|
| 6N      | RESISTANCE WELDING - SPOT | BAEP4523      |

MILLENNIUM CONCEPTS INC  
9050 W MONROE CIRCLE  
WICHITA KS  
67209 316-821-9300

Vendor Code  
10129735

| QA Code | Description                                | Specification      |
|---------|--|--------------------|
| 23A     | BURN TEST: INTERIOR MTRLS                  | BS 414, FAR 25.853 |
| 26D     | CMPST: FAB PREPREG FIBERGLASS 250-350 CURE | BS 23771           |
| 29A     | METAL BONDING                              | BS 2647            |
| 32A     | PAINT                                      | BS361              |
| 32A6    | FINISH PROC. FOR MODELS USING URETHANE     | BS22455            |

MISSOURI METALS LLC  
 9970 PAGE AVE  
 SAINT LOUIS MO  
 63132 314-222-7100

Vendor Code  
 10135170

| QA Code | Description         | Specification |
|---------|---------------------|---------------|
| 28C1    | HT: AL ALY, WROUGHT | TP1102        |
| 28C2    | HT: AL ALY, WROUGHT | TP1102        |
| 28C3    | HT: AL ALUMINUM ALY | TP1102        |
| 34F     | HARDNESS            | TP1601        |

MISTRAS SERVICES GROUP  
 8427 ATLANTIC AVE  
 CUDAHY CA  
 90201 323-583-1653

Vendor Code  
 10111967

| QA Code | Description                      | Specification              |
|---------|----------------------------------|----------------------------|
| 350     | NDI: ULTRASONIC TI               | AMS 2631                   |
| 35B     | NDI: FLUORESCENT                 | ASTM E1417                 |
| 35B1    | NDI: CHEMICAL PRE-ETCH           | BS25691                    |
| 35C     | NDI: MAGNETIC PARTICLE           | ASTM E1444                 |
| 35D     | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742    |
| 35E     | NDI: ULTRASONIC                  | MIL-STD-2154, AMS-STD-2154 |
| XRI     | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742                |

MITCHELL LABORATORIES INC  
 7707 BEQUETTE AVE  
 PICO RIVERA CA  
 90660 562-949-6144

Vendor Code  
 10076435

| QA Code | Description            | Specification              |
|---------|------------------------|----------------------------|
| 35B     | NDI: FLUORESCENT       | ASTM E1417                 |
| 35B1    | NDI: CHEMICAL PRE-ETCH | BS25691                    |
| 35C     | NDI: MAGNETIC PARTICLE | ASTM E1444                 |
| 35E     | NDI: ULTRASONIC        | MIL-STD-2154, AMS-STD-2154 |



MPM INC  
2100 S WEST ST  
WICHITA KS  
67213 316-945-1227

Vendor Code  
10019158

| QA Code | Description                          | Specification   |
|---------|--------------------------------------|-----------------|
| 30G     | ELECTRICAL DISCHARGE MACHINING (EDM) | EDM - AS 7116/3 |
| 34F     | HARDNESS                             | TP1601          |
| 3J      | CONDUCTIVITY TESTING                 | MIL-STD-1537    |

NDT LTD  
MALTRAVERS RD  
SHEFFIELD YK  
0

Vendor Code  
10132759

| QA Code | Description | Specification |
|---------|-------------|---------------|
| 34G     | MECHANICAL  | ASTM E8       |

NELSON NAME PLATE COMPANY  
2800 CASITAS AVE  
LOS ANGELES CA  
323-663-3971

Vendor Code  
104306

| QA Code | Description                              | Specification        |
|---------|--|----------------------|
| 25B     | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470  |
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471 |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472 |

NORDAM GROUP INC  
11200 E PINE ST  
TULSA OK  
74116 918-878-6012

Vendor Code  
10011325

| QA Code | Description                                | Specification              |
|---------|--|----------------------------|
| 26D     | CMPST: FAB PREPREG FIBERGLASS 250-350 CURE | BS 23771                   |
| 32D     | PRIMER                                     | MIL-P-23377; MIL-PRF-23377 |
| 32K     | ANTI-STATIC PAINT                          | BS24190                    |

NORTHSTAR AEROSPACE  
4212 ENTERPRISE CIRCLE  
DULUTH MN  
55811 218-740-2903

Vendor Code  
10099085

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

36D1 WLDG: FUSION - STEEL ALY BS 511

36D1B WLDG: FUSION - STEEL ALY BS511, P/N 50-534638-97, -98 ASSY & DETAILS

NU-PRO LIMITED  
EAGLE WORKS, LONDON RD  
STROUD GL  
01453 883344

Vendor Code  
10134569

| QA Code | Description      | Specification       |
|---------|------------------|---------------------|
| 12C     | CHEMICAL MILLING | BAEP4510 / BAEP4683 |

ORBIT INDUSTRIES INC  
6840 LAKE ABRAM DR  
MIDDLEBURG HEIGHTS OH  
44130 440-243-3311

Vendor Code  
10091878

| QA Code | Description      | Specification |
|---------|------------------|---------------|
| 35B     | NDI: FLUORESCENT | ASTM E1417    |

35B1 NDI: CHEMICAL PRE-ETCH BS25691

35C NDI: MAGNETIC PARTICLE ASTM E1444

35E NDI: ULTRASONIC MIL-STD-2154, AMS-STD-2154

OXWELL INC  
600 E 16TH ST  
WELLINGTON KS  
67152 620-326-7481

Vendor Code  
114863

| QA Code | Description             | Specification                      |
|---------|-------------------------|------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL | MIL-C-5541, MIL-DTL-5541, AMS 2473 |

27F1 FORMING AL ALLOYS: AMBIENT FORMING BS 311327

27F3 FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING BS 311327

28C1 HT: AL ALY, WROUGHT TP1102

28C2 HT: AL ALY, WROUGHT TP1102

32A PAINT BS361

32A2 PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL MIL-F-18264

32A3 FINISHES & COATING (MHI) P2700

32D PRIMER MIL-P-23377; MIL-PRF-23377

34F HARDNESS TP1601

PACIFIC METALLURGICAL INC  
925 5TH AVE S  
KENT WA  
98032 253-854-4241

Vendor Code  
10078795

| QA Code | Description                     | Specification                         |
|---------|---------------------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A2    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A3    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-C           |
| 28A4    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-D           |
| 28A5    | HT:STAINLESS & PH STAINLESS STL | AMS 2759/3                            |
| 28A6    | HT:STAINLESS & PH STAINLESS STL | AMS 2759/4                            |
| 28B2    | HT: AL ALY, CAST                | TP1103                                |
| 28C1    | HT: AL ALY, WROUGHT             | TP1102                                |
| 28C2    | HT: AL ALY, WROUGHT             | TP1102                                |
| 28D1    | HT:BERYLLIUM COPPER             | MIL-H-7199, AMS-H-7199                |
| 28D2    | HT:BERYLLIUM COPPER             | AMS 2728                              |
| 28EA    | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28EB    | HT: ALLOY STEELS                | AMS-H-6875                            |
| 28H1    | HT:TI ALY ANEALING&STRS RELIEF  | MIL-H-81200, AMS-H-81200A             |
| 28H2    | HT:TI ALY ANEALING&STRS RELIEF  | AMS 2801                              |
| 28M1    | HT: STL ANNEALING&NORMALIZING   | AMS 2759/1                            |
| 28N1    | HT: CARBURIZING                 | AMS 2759/7                            |
| 28N2    | HT: CARBURIZING                 | AMS 2762                              |

|      |                           |              |
|------|---------------------------|--------------|
| 28N3 | HT: CARBURIZING           | MIL-S-6090   |
| 28O1 | HT: NITRIDING             | AMS 2759/6   |
| 28Q  | HT: VACCUUM HEAT TREATING | AMS 2769     |
| 28R  | NICKEL AND COBALT         | AMS2774      |
| 34E  | HARDNESS, MICRO           | ASTM E384    |
| 34F  | HARDNESS                  | TP1601       |
| 34H  | METALLURGICAL             | AS REQUIRED  |
| 3J   | CONDUCTIVITY TESTING      | MIL-STD-1537 |

PARAGON NDT LLC (WICHITA)  
 2210 S EDWARDS STREET  
 WICHITA KS  
 67213 316-927-4263

Vendor Code  
 10134960

| QA Code | Description            | Specification              |
|---------|------------------------|----------------------------|
| 35B     | NDI: FLUORESCENT       | ASTM E1417                 |
| 35C     | NDI: MAGNETIC PARTICLE | ASTM E1444                 |
| 35D     | NDI: RADIOGRAPHIC      | MIL-STD-453, ASTM E1742    |
| 35E     | NDI: ULTRASONIC        | MIL-STD-2154, AMS-STD-2154 |

PARAGON SERVICES INC  
 1015 S WEST STREET  
 WICHITA KS  
 67213 316-945-5285

Vendor Code  
 102506

| QA Code | Description                                 | Specification                      |
|---------|---|------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 31O     | CHROMATE CONVERSION FOR LEAD ALLOYS         | BS182011                           |
| 32A     | PAINT                                       | BS361                              |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                        |

|      |   |                            |
|------|---|----------------------------|
| 32A5 | CORROSION RESIST FUEL CELL EPOXY PRIMER | BS25032                    |
| 32D  | PRIMER                                  | MIL-P-23377; MIL-PRF-23377 |
| 34L  | WET SOLUTION ANALYSIS                   | AS REQUIRED                |
| 35B  | NDI: FLUORESCENT                        | ASTM E1417                 |
| 35B1 | NDI: CHEMICAL PRE-ETCH                  | BS25691                    |

PAULO PRODUCTS COMPANY  
 4827 CHELSEA AVE  
 KANSAS CITY MO  
 64130 816-861-7500

Vendor Code  
 10120677

| QA Code | Description         | Specification                         |
|---------|---------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS     | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28D1    | HT:BERYLLIUM COPPER | MIL-H-7199, AMS-H-7199                |
| 28D2    | HT:BERYLLIUM COPPER | AMS 2728                              |
| 28EA    | HT: ALLOY STEELS    | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28N1    | HT: CARBURIZING     | AMS 2759/7                            |
| 34E     | HARDNESS, MICRO     | ASTM E384                             |
| 34F     | HARDNESS            | TP1601                                |
| 34H     | METALLURGICAL       | AS REQUIRED                           |

PERFEKTA INC  
 480 E 21ST ST N  
 WICHITA KS  
 67214 316-263-2056

Vendor Code  
 10014629

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 26F     | CMPST: 2ND BOND RM TEMP                       | BS 23738      |
| 27F2    | FORMING AL ALLOYS: HOT FORMING                | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |
| 34F     | HARDNESS                                      | TP1601        |
| 3J      | CONDUCTIVITY TESTING                          | MIL-STD-1537  |

PLATINUM AEROSTRUCTURES A DBA  
 1200 E HIGHLAND AVE  
 NEVADA MO  
 64772 417-667-3600

Vendor Code  
 10121413

| QA Code | Description                                     | Specification                      |
|---------|---|------------------------------------|
| 25G     | SURF PREP MTL PRIOR ADHESIVE BOND<br>NONANODIZE | BS 25210                           |
| 25H     | CVRSN COAT, CLASS 1A-AL                         | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25Q     | PHOSPHORIC ACID ANODIZING AL ALLOY FOR BOND     | BS 24554                           |
| 32A6    | FINISH PROC. FOR MODELS USING URETHANE          | BS22455                            |
| 32A9    | CORROSION INHIBIT ADHESIVE PRIMER               | BS23865                            |
| 32D     | PRIMER  | MIL-P-23377; MIL-PRF-23377         |

PME AEROSPACE INSPECTION LTD  
 UNIT 2A BORDER 2 INDUSTRIAL ESTATE  
 CHESTER  
 0

Vendor Code  
 10052895

| QA Code | Description             | Specification                 |
|---------|-------------------------|-------------------------------|
| 35B2    | NDI: FLUORESCENT        | BAEP2501-5PSD1 (MIL-STD-6866) |
| 35B3    | NDI: FLUORESCENT        | BAEP2501-5PSD1 (ASTM E1417)   |
| 3E      | MAGNETIC FLAW DETECTION | BAEP2502                      |
| 3G      | ULTRASONIC METHODS      | BAEP2503                      |

PREMIER PROCSSING LLC  
 3002 WEST PAWNEE SUITE 104  
 WICHITA KS  
 67213 316-425-3565

Vendor Code  
 10130818

| QA Code | Description             | Specification                      |
|---------|-------------------------|------------------------------------|
| 25B     | ANDZ, TYPE I - AL       | MIL-A-8625,AMS 2470                |
| 25C     | ANDZ, TYPE II - AL      | MIL-A-8625, AMS 2471               |
| 25H     | CVRSN COAT, CLASS 1A-AL | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL  | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 32A     | PAINT                   | BS361                              |

|      |   |                            |
|------|---|----------------------------|
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                |
| 32A3 | FINISHES & COATING (MHI)                    | P2700                      |
| 32A5 | CORROSION RESIST FUEL CELL EPOXY PRIMER     | BS25032                    |
| 32D  | PRIMER                                      | MIL-P-23377; MIL-PRF-23377 |
| 35B  | NDI: FLUORESCENT                            | ASTM E1417                 |
| 35B1 | NDI: CHEMICAL PRE-ETCH                      | BS25691                    |

|  |                         |
|--|-------------------------|
| PRIDE PLATING<br>2900 E HIGHWAY 10 RT 5 BOX 63<br>GROVE OK<br>74344 918-786-6111 | Vendor Code<br>10091861 |
|--|-------------------------|

| QACode | Description             | Specification                         |
|--------|-------------------------|---------------------------------------|
| 25H    | CVRSN COAT, CLASS 1A-AL | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I    | CVRSN COAT, CLASS 3-AL  | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25N    | PICKLE AND PASSIVATE    | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 32A    | PAINT                   | BS361                                 |
| 32D    | PRIMER                  | MIL-P-23377; MIL-PRF-23377            |

|  |                         |
|--|-------------------------|
| PROTECTIVE COATINGS INC<br>1215 2ND AVE N<br>KENT WA<br>98032 253-854-9330 | Vendor Code<br>10099994 |
|--|-------------------------|

| QACode | Description                              | Specification                         |
|--------|--|---------------------------------------|
| 25B    | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                   |
| 25C    | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471                  |
| 25D    | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472                  |
| 25H    | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I    | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M    | SOLID FILM, LUBRICANT HEAT CURED         | MIL-PRF-46010                         |
| 25N    | PICKLE AND PASSIVATE                     | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |

|      |                                     |                              |
|------|-------------------------------------|------------------------------|
| 25N1 | PASSIVATE:CORROSION RESIST STLS     | BS4692, ASTM A967            |
| 25O  | PHOSPHATE CVRSN COAT-STL            | AMS 2480, AMS 2481           |
| 28G  | STRESS RELIEF                       | BS25526                      |
| 28K  | EMBRITTLMENT RELIEF                 | BS25526                      |
| 30B  | PEENING: SHOT                       | MIL-S-13165, AMS 2430        |
| 31B  | CD PL, TYPE I,II                    | QQ-P-416, AMS 2400, AMS 2401 |
| 31G  | COPPER PL                           | MIL-C-14550, AMS 2418        |
| 32A  | PAINT                               | BS361                        |
| 32A1 | PAINT: AIRCRAFT INTEGRAL FUEL TANKS | MIL-C-27725, AMS-C-27725     |
| 32D  | PRIMER                              | MIL-P-23377; MIL-PRF-23377   |
| 35B  | NDI: FLUORESCENT                    | ASTM E1417                   |
| 35B1 | NDI: CHEMICAL PRE-ETCH              | BS25691                      |
| 35C  | NDI: MAGNETIC PARTICLE              | ASTM E1444                   |

PRYER AEROSPACE LLC  
 2230 N SHERIDAN ROAD  
 TULSA OK  
 74115 918-835-8885-221

Vendor Code  
 10131317

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |
| 27F4    | FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING | BS 311327     |
| 28C2    | HT: AL ALY, WROUGHT                           | TP1102        |
| 34F     | HARDNESS                                      | TP1601        |
| 3J      | CONDUCTIVITY TESTING                          | MIL-STD-1537  |



QUALITY ALUMINUM FORGE LLC  
 810 N LEMON ST  
 ORANGE CA  
 92867 714-639-8191

Vendor Code  
 10109045

| QA Code | Description            | Specification |
|---------|------------------------|---------------|
| 28C1    | HT: AL ALY, WROUGHT    | TP1102        |
| 34F     | HARDNESS               | TP1601        |
| 34H     | METALLURGICAL          | AS REQUIRED   |
| 35B     | NDI: FLUORESCENT       | ASTM E1417    |
| 35B1    | NDI: CHEMICAL PRE-ETCH | BS25691       |
| 3J      | CONDUCTIVITY TESTING   | MIL-STD-1537  |

QUALITY HEAT TREATING INC  
 3305 BURTON AVE  
 BURBANK CA  
 91504 818-840-8212

Vendor Code  
 10118429

| QA Code | Description                     | Specification                         |
|---------|---------------------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28A3    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-C           |
| 28A7    | HT:STAINLESS MARTENSITIC STL    | AMS 2759/5                            |
| 28EA    | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28G     | STRESS RELIEF                   | BS25526                               |
| 28M1    | HT: STL ANNEALING&NORMALIZING   | AMS 2759/1                            |
| 28M3    | HT: STL ANNEALING&NORMALIZING   | MIL-H-6875 CL-A & AMS-H-6875 CL-A     |
| 28R     | NICKEL AND COBALT               | AMS2774                               |
| 34E     | HARDNESS, MICRO                 | ASTM E384                             |
| 34F     | HARDNESS                        | TP1601                                |
| 34H     | METALLURGICAL                   | AS REQUIRED                           |

QUALITY PLATING COMPANY  
 2665 N DARLINGTON AVE  
 TULSA OK  
 74115 918-835-2278

Vendor Code  
 10091877

| QA Code | Description                                 | Specification                         |
|---------|---|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M     | SOLID FILM, LUBRICANT HEAT CURED            | MIL-PRF-46010                         |
| 25N     | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 30B     | PEENING: SHOT                               | MIL-S-13165, AMS 2430                 |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                            |
| 35B1    | NDI: CHEMICAL PRE-ETCH                      | BS25691                               |

QUALITY TESTING SERVICES INC  
 2305 MILLPARK DR  
 MARYLAND HEIGHTS MO  
 63043 314-770-0607

Vendor Code  
 10067936

| QA Code | Description                           | Specification              |
|---------|---------------------------------------|----------------------------|
| 34F     | HARDNESS                              | TP1601                     |
| 35A     | NDI: EDDY CURRENT                     | ASTM E215                  |
| 35B     | NDI: FLUORESCENT                      | ASTM E1417                 |
| 35D     | NDI: RADIOGRAPHIC                     | MIL-STD-453, ASTM E1742    |
| 35E     | NDI: ULTRASONIC                       | MIL-STD-2154, AMS-STD-2154 |
| 35G     | ULTRASONIC INSPECTION COMPOSITE PARTS | BS291834                   |

ROBERT STUART PLC  
 10 11 EDINBURGH WAY  
 HARLOW ES  
 01279 400110

Vendor Code  
 10109101

| QA Code | Description                                    | Specification                     |
|---------|--|-----------------------------------|
| 12O     | PASSIVATION                                    | BAEP1516                          |
| 19L     | PROTECTIVE PLATING OF FACES OF HEADS (DHA 369  | .N/A                              |
| 19W     | ELECTRODEPOSITION OF TIN                       | DEF STAN 03/8                     |
| 31B2    | CADMIUM PLATING FOR STEEL, TITANIUM & TITANIUM | BAEP1514-2PSD1 (SAE-AMS-QQ-P-416) |
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION           | BAEP2501                          |
| 3D      | HARDNESS TESTING                               | BAEP9226                          |
| 3E      | MAGNETIC FLAW DETECTION                        | BAEP2502                          |
| 3H      | FLAW DETECTION (BY ETCHING) (NITAL ETCH)       | BAEP4544                          |
| 4A      | CHROMIC ACID ANODIZING                         | BAEP0002                          |
| 4B      | HARD ANODIZING                                 | BAEP0012                          |
| 4C      | SULPHURIC ACID ANODIZING                       | BAEP0003                          |
| 4D      | SULPHURIC ANODISING OF TITANIUM                | BAEP0016                          |
| 4E      | COLOUR ANODISING                               | BAEP0007                          |
| 4F      | CADMIUM PLATING (UNDER 65 TON F/IN2)           | BAEP1514                          |
| 4G      | CADMIUM PLATING (65-90 TON F/IN2)              | BAEP1514                          |
| 4H      | CADMIUM PLATING (OVER 90 TON F/IN2)            | BAEP1514                          |
| 4I      | FLEXIBLE PERMEABLE PAINTING                    | BAEP3528                          |
| 4J      | CADMIUM PLATING STAINLESS STEEL                | BAEP1514                          |
| 4M      | CHROMIUM PLATING (HARD)                        | BAEP1519                          |
| 4N      | NICKEL STRIKE PRIOR TO CAD PLATE               | BAEP1512                          |
| 4R      | ALOCROM 1200                                   | BAEP0004                          |

|     |   |          |
|-----|---|----------|
| 4S  | CHROMATING MAGNESIUM ALLOYS                   | BAEP0005 |
| 4T  | APPLICATION OF PRIMER                         | BAEP3527 |
| 4U  | PHOSPHATE COATING                             | BAEP0006 |
| 4ZB | THE APPLICATION OF LOW TEMPERATURE STOVING EN | BAEP3532 |
| 4ZF | APPLICATION OF POLYURETHANE FINISH            | BAEP3504 |
| 5N  | STRESS RELIEVING OF FERROUS ALLOYS            | BAEP9009 |
| 5O  | DE-EMBRITTEMENT (FERROUS ALLOYS)              | BAEP1514 |

ROLL FORMING CORP  
1027 BROOKS INDUSTRIAL ROAD  
SHELBYVILLE KY  
40065 502-633-4437

Vendor Code  
10106062

| QA Code | Description         | Specification |
|---------|---------------------|---------------|
| 28C1    | HT: AL ALY, WROUGHT | TP1102        |
| 28C2    | HT: AL ALY, WROUGHT | TP1102        |
| 28C3    | HT: AL ALUMINUM ALY | TP1102        |
| 34E     | HARDNESS, MICRO     | ASTM E384     |
| 34F     | HARDNESS            | TP1601        |
| 34G     | MECHANICAL          | ASTM E8       |

SAFRAN LANDING SYSTEMS CANADA  
574 MONARCH AVE  
AJAX ON  
905-683-3100

Vendor Code  
10016147

| QA Code | Description                          | Specification |
|---------|--------------------------------------|---------------|
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION | BAEP2501      |
| 3E      | MAGNETIC FLAW DETECTION              | BAEP2502      |
| 4T      | APPLICATION OF PRIMER                | BAEP3527      |
| 4ZF     | APPLICATION OF POLYURETHANE FINISH   | BAEP3504      |
| 4ZK     | APPLICATION OF ANTI-FRETTING PRIMER  | BAEP3513      |

SANDERS COMPOSITES  
 4075 RUFFIN ROAD  
 SAN DIEGO CA  
 92123 858-514-6300

Vendor Code  
 10134815

| QA Code | Description                            | Specification |
|---------|--|---------------|
| 26J     | CMPST: FAB GLASS FABRIC BASE LAMINATES | BS 20615      |

SEMIRAY  
 3027 E WASHINGTON ST  
 PHOENIX AZ  
 85034 602-275-1917

Vendor Code  
 10131611

| QA Code | Description                              | Specification                         |
|---------|--|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469                  |
| 25H     | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I     | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M     | SOLID FILM, LUBRICANT HEAT CURED         | MIL-PRF-46010                         |
| 25N     | PICKLE AND PASSIVATE                     | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 32A     | PAINT                                    | BS361                                 |
| 32D     | PRIMER                                   | MIL-P-23377; MIL-PRF-23377            |
| 35B     | NDI: FLUORESCENT                         | ASTM E1417                            |
| 35C     | NDI: MAGNETIC PARTICLE                   | ASTM E1444                            |

SIFCO INDUSTRIES INC  
 970 E 64TH ST  
 CLEVELAND OH  
 44103 216-881-8600

Vendor Code  
 10010351

| QA Code | Description                     | Specification               |
|---------|---------------------------------|-----------------------------|
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B |

|      |                                |                                       |
|------|--------------------------------|---------------------------------------|
| 28EA | HT: ALLOY STEELS               | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28EB | HT: ALLOY STEELS               | AMS-H-6875                            |
| 28H1 | HT:TI ALY ANEALING&STRS RELIEF | MIL-H-81200, AMS-H-81200A             |
| 28H2 | HT:TI ALY ANEALING&STRS RELIEF | AMS 2801                              |
| 28R  | NICKEL AND COBALT              | AMS2774                               |
| 34E  | HARDNESS, MICRO                | ASTM E384                             |
| 34F  | HARDNESS                       | TP1601                                |
| 34G  | MECHANICAL                     | ASTM E8                               |
| 34H  | METALLURGICAL                  | AS REQUIRED                           |
| 35B  | NDI: FLUORESCENT               | ASTM E1417                            |
| 35B1 | NDI: CHEMICAL PRE-ETCH         | BS25691                               |
| 35C  | NDI: MAGNETIC PARTICLE         | ASTM E1444                            |

SILVERFIELD LTD  
ALDON ROAD  
POULTON LE FYLDE LA  
01253 891733

Vendor Code  
10101106

| QA Code | Description                              | Specification |
|---------|--|---------------|
| 12I     | VAPOUR BLASTING                          | BAEP2004      |
| 12O     | PASSIVATION                              | BAEP1516      |
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION     | BAEP2501      |
| 3D      | HARDNESS TESTING                         | BAEP9226      |
| 3E      | MAGNETIC FLAW DETECTION                  | BAEP2502      |
| 3H      | FLAW DETECTION (BY ETCHING) (NITAL ETCH) | BAEP4544      |
| 4A      | CHROMIC ACID ANODIZING                   | BAEP0002      |
| 4F      | CADMIUM PLATING (UNDER 65 TON F/IN2)     | BAEP1514      |
| 4G      | CADMIUM PLATING (65-90 TON F/IN2)        | BAEP1514      |

|    |                                     |          |
|----|-------------------------------------|----------|
| 4H | CADMIUM PLATING (OVER 90 TON F/IN2) | BAEP1514 |
| 4I | FLEXIBLE PERMEABLE PAINTING         | BAEP3528 |
| 4J | CADMIUM PLATING STAINLESS STEEL     | BAEP1514 |
| 4M | CHROMIUM PLATING (HARD)             | BAEP1519 |
| 4N | NICKEL STRIKE PRIOR TO CAD PLATE    | BAEP1512 |
| 4R | ALOCROM 1200                        | BAEP0004 |
| 4T | APPLICATION OF PRIMER               | BAEP3527 |
| 4U | PHOSPHATE COATING                   | BAEP0006 |
| 5N | STRESS RELIEVING OF FERROUS ALLOYS  | BAEP9009 |
| 5O | DE-EMBRITTEMENT (FERROUS ALLOYS)    | BAEP1514 |

SINCLAIR & SONS  
1023 S SANTE FE  
WICHITA KS  
67211 316-263-3500

Vendor Code  
10073698

| QA Code | Description                                   | Specification                |
|---------|---|------------------------------|
| 2213    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_95-590023       |
| 2214    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_133-910028-21   |
| 2215    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_390-360006-0001 |
| 2221    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_50-420046-27    |
| 2222    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_50-420046-28    |
| 2223    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4_P/N_100-524174-9    |
| 2228    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4 P/N 99-550068-11    |
| 2229    | BRZG_TORCH_SILVER BRZG PART SPECIFIC APPROVAL | AWS C3.4 P/N 117-560089-1    |
| 36      | WELDER QUALIFICATION                          | MIL-STD-1595, AWS D17.1      |
| 36B1    | WLDG: FUSION - AL ALY                         | BS 510                       |
| 36B3    | WLDG: FUSION - AL ALY                         | AMS-STD-2219                 |

|      |                          |              |
|------|--------------------------|--------------|
| 36D1 | WLDG: FUSION - STEEL ALY | BS 511       |
| 36D2 | WLDG: FUSION - STEEL ALY | AMS-STD-2219 |

SKANDIA INC  
5000 N HWY 251  
DAVIS JUNCTION IL  
61020 815-393-4600-737

Vendor Code  
10011215

| QA Code | Description               | Specification      |
|---------|---------------------------|--------------------|
| 23A     | BURN TEST: INTERIOR MTRLS | BS 414, FAR 25.853 |

SKILLS INC  
800 NW 46TH ST  
SEATTLE WA  
98107 206-782-6000

Vendor Code  
10098104

| QA Code | Description                                 | Specification                      |
|---------|---|------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471               |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL    | MIL-A-8625, AMS 2472               |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 30B     | PEENING: SHOT                               | MIL-S-13165, AMS 2430              |
| 30B1    | PEENING: SHOT                               | AMS-S-13165                        |
| 32A     | PAINT                                       | BS361                              |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                        |
| 32A5    | CORROSION RESIST FUEL CELL EPOXY PRIMER     | BS25032                            |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377         |
| 34C     | CHEMICAL SPECTROCHEMICAL ANALYSIS           | STANDARD PRACTICE                  |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                         |
| 35B1    | NDI: CHEMICAL PRE-ETCH                      | BS25691                            |



SKILLS INC  
 715 30TH ST NE  
 AUBURN WA  
 98002 206-782-6000

Vendor Code  
 10098106

| QA Code | Description                                 | Specification                      |
|---------|---|------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471               |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 30B     | PEENING: SHOT                               | MIL-S-13165, AMS 2430              |
| 30B1    | PEENING: SHOT                               | AMS-S-13165                        |
| 32A     | PAINT                                       | BS361                              |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                        |
| 32A5    | CORROSION RESIST FUEL CELL EPOXY PRIMER     | BS25032                            |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377         |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                         |
| 35B1    | NDI: CHEMICAL PRE-ETCH                      | BS25691                            |

SOUTH WEST METAL FINISHING (EXETER)  
 ALDUIN BROOK RD, MARSHA BARTON  
 EXETER DV  
 01392-258234

Vendor Code  
 10135177

| QA Code | Description             | Specification |
|---------|-------------------------|---------------|
| 3E      | MAGNETIC FLAW DETECTION | BAEP2502      |

SOUTH WEST METAL FINISHING (YEOVIL)  
 9A LIMBER ROAD  
 LUFTEN, YEOVIL SO  
 01985 429881

Vendor Code  
 10135176

| QA Code | Description                          | Specification |
|---------|--------------------------------------|---------------|
| 4F      | CADMIUM PLATING (UNDER 65 TON F/IN2) | BAEP1514      |
| 4G      | CADMIUM PLATING (65-90 TON F/IN2)    | BAEP1514      |
| 4H      | CADMIUM PLATING (OVER 90 TON F/IN2)  | BAEP1514      |

SPS TECHNOLOGIES INC  
 301 HIGHLAND AVE  
 JENKINTOWN PA  
 19046 215-572-3384

Vendor Code  
 105726

| QA Code | Description                              | Specification                         |
|---------|--|---------------------------------------|
| 25B     | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                   |
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471                  |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472                  |
| 25E     | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469                  |
| 25N     | PICKLE AND PASSIVATE                     | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25P1    | MANGANESE PHOS - STL                     | MIL-DTL-16232                         |
| 28A0    | HT-ALLOY STEELS                          | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28A1    | HT:STAINLESS & PH STAINLESS STL          | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A2    | HT:STAINLESS & PH STAINLESS STL          | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A4    | HT:STAINLESS & PH STAINLESS STL          | MIL-H-6875, AMS-H-6875 CL-D           |
| 28A5    | HT:STAINLESS & PH STAINLESS STL          | AMS 2759/3                            |
| 28A6    | HT:STAINLESS & PH STAINLESS STL          | AMS 2759/4                            |
| 28C1    | HT: AL ALY, WROUGHT                      | TP1102                                |
| 28C2    | HT: AL ALY, WROUGHT                      | TP1102                                |
| 28EA    | HT: ALLOY STEELS                         | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28EB    | HT: ALLOY STEELS                         | AMS-H-6875                            |
| 28H1    | HT:TI ALY ANEALING&STRS RELIEF           | MIL-H-81200, AMS-H-81200A             |
| 28M1    | HT: STL ANNEALING&NORMALIZING            | AMS 2759/1                            |
| 28M2    | HT: STL ANNEALING&NORMALIZING            | AMS 2759/2                            |
| 28R1    | NICKEL AND COBALT ALLOYS                 | AGE, ANNEAL & STRESS RELIEF           |

|      |   |                              |
|------|---|------------------------------|
| 31B  | CD PL, TYPE I,II                            | QQ-P-416, AMS 2400, AMS 2401 |
| 31G  | COPPER PL                                   | MIL-C-14550, AMS 2418        |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                  |
| 32D  | PRIMER                                      | MIL-P-23377; MIL-PRF-23377   |
| 32D1 | EPOXY TOP COAT                              | MIL-PRF-22750                |
| 34C  | CHEMICAL SPECTROCHEMICAL ANALYSIS           | STANDARD PRACTICE            |
| 34E  | HARDNESS, MICRO                             | ASTM E384                    |
| 34F  | HARDNESS                                    | TP1601                       |
| 35B  | NDI: FLUORESCENT                            | ASTM E1417                   |
| 35B1 | NDI: CHEMICAL PRE-ETCH                      | BS25691                      |
| 35C  | NDI: MAGNETIC PARTICLE                      | ASTM E1444                   |

ST&I INC  
7517 JEFFERSON ST  
PARAMOUNT CA  
90723 310-632-8500

Vendor Code  
10091900

| QA Code | Description             | Specification                         |
|---------|-------------------------|---------------------------------------|
| 24A     | CHEM MILL: AL ALY       | COMMERCIAL PRACTICE, AMS-C-81769      |
| 24B     | CHEM MILL: NI BASE ALY  | COMMERCIAL PRACTICE                   |
| 24C     | CHEM MILL: STEEL ALY    | COMMERCIAL PRACTICE                   |
| 24D     | CHEM MILL: TITANIUM ALY | COMMERCIAL PRACTICE                   |
| 25N     | PICKLE AND PASSIVATE    | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |

STAINLESS PLATING LIMITED  
24 DON ROAD  
SHEFFIELD  
0114 2422000

Vendor Code  
10101108

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 12O     | PASSIVATION                                   | BAEP1516      |
| 19L     | PROTECTIVE PLATING OF FACES OF HEADS (DHA 369 | .N/A          |

|     |  |               |
|-----|--|---------------|
| 19W | ELECTRODEPOSITION OF TIN                 | DEF STAN 03/8 |
| 3C  | FLUORESCENT DYE PENETRANT INSPECTION     | BAEP2501      |
| 3E  | MAGNETIC FLAW DETECTION                  | BAEP2502      |
| 3H  | FLAW DETECTION (BY ETCHING) (NITAL ETCH) | BAEP4544      |
| 4A  | CHROMIC ACID ANODIZING                   | BAEP0002      |
| 4C  | SULPHURIC ACID ANODIZING                 | BAEP0003      |
| 4F  | CADMIUM PLATING (UNDER 65 TON F/IN2)     | BAEP1514      |
| 4G  | CADMIUM PLATING (65-90 TON F/IN2)        | BAEP1514      |
| 4H  | CADMIUM PLATING (OVER 90 TON F/IN2)      | BAEP1514      |
| 4J  | CADMIUM PLATING STAINLESS STEEL          | BAEP1514      |
| 4K  | COPPER PLATING                           | BAEP1520      |
| 4M  | CHROMIUM PLATING (HARD)                  | BAEP1519      |
| 4N  | NICKEL STRIKE PRIOR TO CAD PLATE         | BAEP1512      |
| 4R  | ALOCROM 1200                             | BAEP0004      |
| 4U  | PHOSPHATE COATING                        | BAEP0006      |
| 4Y  | CHROMIC/SULPHURIC PICKLING               | BAEP9099      |
| 5O  | DE-EMBRITTEMENT (FERROUS ALLOYS)         | BAEP1514      |

STRATASYS DIRECT MANUFACTURING  
815 KIRKLEY BLVD  
BELTON TX  
76513 254-933-1000

Vendor Code  
10072257

| QA Code | Description                     | Specification              |
|---------|---------------------------------|----------------------------|
| 30J     | SELECTIVE LASER SINTERING (SLS) | INDUSTRY STANDARD PRACTICE |

SULLIVAN PRECISION METAL FINISHING  
995 N SERVICE RD WEST  
SULLIVAN MO  
63080 573-468-8049

Vendor Code  
10101369

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

|      |   |                                       |
|------|---|---------------------------------------|
| 25B  | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                   |
| 25C  | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471                  |
| 25H  | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25I  | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473    |
| 25M  | SOLID FILM, LUBRICANT HEAT CURED            | MIL-PRF-46010                         |
| 25M1 | SOLID FILM, LUBRICANT AIR CURED             | MIL-L-23398                           |
| 25N  | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 32A  | PAINT                                       | BS361                                 |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32A6 | FINISH PROC. FOR MODELS USING URETHANE      | BS22455                               |
| 32D  | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 35B  | NDI: FLUORESCENT                            | ASTM E1417                            |
| 35B1 | NDI: CHEMICAL PRE-ETCH                      | BS25691                               |
| 35C  | NDI: MAGNETIC PARTICLE                      | ASTM E1444                            |

SUPERIOR ALUMINUM PRODUCTS INC  
9910 JORDAN CIRCLE  
SANTA FE SPRINGS CA  
90670 562-903-1150

Vendor Code  
10097151

| QA Code | Description            | Specification |
|---------|------------------------|---------------|
| 28C2    | HT: AL ALY, WROUGHT    | TP1102        |
| 34F     | HARDNESS               | TP1601        |
| 34H     | METALLURGICAL          | AS REQUIRED   |
| 35B     | NDI: FLUORESCENT       | ASTM E1417    |
| 35B1    | NDI: CHEMICAL PRE-ETCH | BS25691       |

TALON TEST LABORATORIES INC  
 6145 W DETROIT ST  
 CHANDLER AZ  
 85226 602-454-2500

Vendor Code  
 1012894

| QA Code | Description     | Specification              |
|---------|-----------------|----------------------------|
| 35E     | NDI: ULTRASONIC | MIL-STD-2154, AMS-STD-2154 |

TECH MET INC  
 15 ALLEGHENY SQ  
 GLASSPORT PA  
 15045 412-678-8277

Vendor Code  
 10016060

| QA Code | Description             | Specification                         |
|---------|-------------------------|---------------------------------------|
| 24A     | CHEM MILL: AL ALY       | COMMERCIAL PRACTICE, AMS-C-81769      |
| 24C     | CHEM MILL: STEEL ALY    | COMMERCIAL PRACTICE                   |
| 24D     | CHEM MILL: TITANIUM ALY | COMMERCIAL PRACTICE                   |
| 25N     | PICKLE AND PASSIVATE    | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |

TECT AEROSPACE WELLINGTON INC  
 1515 N A ST  
 WELLINGTON KS  
 67152 620-359-5000

Vendor Code  
 10113240

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327     |
| 27F2    | FORMING AL ALLOYS: HOT FORMING                | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |
| 27F4    | FORMING AL ALLOYS: SUB-AMBIENT (COLD) FORMING | BS 311327     |
| 27G     | FRMING/STRAIGHTENING AL ALY: HOT FORMING      | P1103         |
| 27G1    | FRMING/STRAIGHTENING AL ALY: COLD FORMING     | P1103         |
| 28C2    | HT: AL ALY, WROUGHT                           | TP1102        |
| 34F     | HARDNESS                                      | TP1601        |
| 3J      | CONDUCTIVITY TESTING                          | MIL-STD-1537  |

TEX TECH INDUSTRIES INC  
 105 N MAIN ST  
 NORTH MONMOUTH ME  
 4265 207-933-4404

Vendor Code  
 111297

| QA Code | Description               | Specification      |
|---------|---------------------------|--------------------|
| 23A     | BURN TEST: INTERIOR MTRLS | BS 414, FAR 25.853 |

TFC MANUFACTURING INC  
 2141 E BIXBY RD  
 LAKEWOOD CA  
 90712 562-426-9559

Vendor Code  
 10134969

| QA Code | Description          | Specification |
|---------|----------------------|---------------|
| 28C1    | HT: AL ALY, WROUGHT  | TP1102        |
| 28C2    | HT: AL ALY, WROUGHT  | TP1102        |
| 34F     | HARDNESS             | TP1601        |
| 3J      | CONDUCTIVITY TESTING | MIL-STD-1537  |

THE NORDAM GROUP  
 CALLE TAGUCHI NUM 18901  
 CHIHUAHUA  
 31183 316 554 3113

Vendor Code  
 10130645

| QA Code | Description                                | Specification              |
|---------|--|----------------------------|
| 26B     | CMPST: FAB PREPREG                         | BS 23767                   |
| 26D     | CMPST: FAB PREPREG FIBERGLASS 250-350 CURE | BS 23771                   |
| 26F     | CMPST: 2ND BOND RM TEMP                    | BS 23738                   |
| 26J     | CMPST: FAB GLASS FABRIC BASE LAMINATES     | BS 20615                   |
| 32A     | PAINT                                      | BS361                      |
| 32D     | PRIMER                                     | MIL-P-23377; MIL-PRF-23377 |
| 32K     | ANTI-STATIC PAINT                          | BS24190                    |

THE NORDAM GROUP-INTERIORS &  
 6910 N WHIRLPOOL DR  
 TULSA OK  
 74117 918-401-5114

Vendor Code  
 114844

| QA Code | Description               | Specification      |
|---------|---------------------------|--------------------|
| 23A     | BURN TEST: INTERIOR MTRLS | BS 414, FAR 25.853 |

|      |   |                                    |
|------|---|------------------------------------|
| 25H  | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25Q  | PHOSPHORIC ACID ANODIZING AL ALLOY FOR BOND | BS 24554                           |
| 26B  | CMPST: FAB PREPREG                          | BS 23767                           |
| 26D  | CMPST: FAB PREPREG FIBERGLASS 250-350 CURE  | BS 23771                           |
| 26H  | CMPST: TESTING                              | BS 23717                           |
| 26J  | CMPST: FAB GLASS FABRIC BASE LAMINATES      | BS 20615                           |
| 29A  | METAL BONDING                               | BS 2647                            |
| 32A9 | CORROSION INHIBIT ADHESIVE PRIMER           | BS23865                            |
| 32D  | PRIMER                                      | MIL-P-23377; MIL-PRF-23377         |
| 32K  | ANTI-STATIC PAINT                           | BS24190                            |

TIGHITCO LATINOAMERICA S A DE C V  
 CALLE AEROSPACIAL SN LOTE  
 CHIHUAHUA CHI  
 31074 52-444-824-1450

Vendor Code  
 10049667

| QA Code | Description                        | Specification                      |
|---------|------------------------------------|------------------------------------|
| 25H     | CVRSN COAT, CLASS 1A-AL            | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25H1    | PRE-PROCESSED MATERIAL             | BS361 SEC. 3.6.2.                  |
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING | BS 311327                          |
| 28C2    | HT: AL ALY, WROUGHT                | TP1102                             |
| 32A     | PAINT                              | BS361                              |
| 32D     | PRIMER                             | MIL-P-23377; MIL-PRF-23377         |
| 34F     | HARDNESS                           | TP1601                             |
| 3J      | CONDUCTIVITY TESTING               | MIL-STD-1537                       |

TOWERFIELD PLATING LIMITED  
 2 TOWERFIELD CLOSE TOWERFIELD IND E  
 SHOEBURYNESS ES  
 44(0)1702 410340

Vendor Code  
 10101111

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|



|      |   |                          |
|------|---|--------------------------|
| 12O  | PASSIVATION                                   | BAEP1516                 |
| 35F1 | (NITAL) ETCH INSP'N OF MACHINED STEEL PARTS   | BAEP4544-3PSD2 (AMS2649) |
| 3C   | FLUORESCENT DYE PENETRANT INSPECTION          | BAEP2501                 |
| 3E   | MAGNETIC FLAW DETECTION                       | BAEP2502                 |
| 3H   | FLAW DETECTION (BY ETCHING) (NITAL ETCH)      | BAEP4544                 |
| 4A   | CHROMIC ACID ANODIZING                        | BAEP0002                 |
| 4F   | CADMIUM PLATING (UNDER 65 TON F/IN2)          | BAEP1514                 |
| 4G   | CADMIUM PLATING (65-90 TON F/IN2)             | BAEP1514                 |
| 4H   | CADMIUM PLATING (OVER 90 TON F/IN2)           | BAEP1514                 |
| 4J   | CADMIUM PLATING STAINLESS STEEL               | BAEP1514                 |
| 4N   | NICKEL STRIKE PRIOR TO CAD PLATE              | BAEP1512                 |
| 4T   | APPLICATION OF PRIMER                         | BAEP3527                 |
| 4U   | PHOSPHATE COATING                             | BAEP0006                 |
| 4ZB  | THE APPLICATION OF LOW TEMPERATURE STOVING EN | BAEP3532                 |
| 4ZC  | THE APPLICATION OF COLD CURING EPOXIDE FINISH | BAEP3505                 |
| 4ZD  | THE APPLICATION OF HIGH TEMPERATURE STOVING E | BAEP3506                 |
| 4ZE  | PROTECTIVE TREATMENT OF MAGNESIUM BASED ALLOY | BAEP3507                 |
| 4ZF  | APPLICATION OF POLYURETHANE FINISH            | BAEP3504                 |
| 4ZI  | THE APPLICATION OF COLD EPOXIDE PRIMER TO MET | BAEP3512                 |
| 5N   | STRESS RELIEVING OF FERROUS ALLOYS            | BAEP9009                 |
| 5O   | DE-EMBRITTEMENT (FERROUS ALLOYS)              | BAEP1514                 |

TRINITY FORGE INC  
947 TRINITY DR  
MANSFIELD TX  
76063 817-473-1515

Vendor Code  
104203

QACode Description Specification

TRITECH PRECISION PRODUCTS LTD  
BRIDGE ROAD NORTH  
WREXHAM  
197-866-1111

Vendor Code  
10107089

| QA Code | Description                              | Specification |
|---------|--|---------------|
| 3C      | FLUORESCENT DYE PENETRANT INSPECTION     | BAEP2501      |
| 5C      | PRECIPITATION (ALUMINIUM ALLOYS)         | BAEP9006      |
| 5M      | PRECIPITATION HARDENING (FERROUS ALLOYS) | BAEP9008      |
| 8S      | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A          |

TRIUMPH PRECISION COMPONENTS-FABR  
1923 CENTRAL AVE  
HOT SPRINGS AR  
71901 317-398-6684

Vendor Code  
10018266

| QA Code | Description         | Specification |
|---------|---------------------|---------------|
| 28C1    | HT: AL ALY, WROUGHT | TP1102        |
| 28C2    | HT: AL ALY, WROUGHT | TP1102        |

TRIUMPH PRECISION COMPONENTS-FABR  
1923 CENTRAL AVE  
HOT SPRINGS AR  
71901 501-321-9325

Vendor Code  
10034379

| QA Code | Description                              | Specification                      |
|---------|--|------------------------------------|
| 24A     | CHEM MILL: AL ALY                        | COMMERCIAL PRACTICE, AMS-C-81769   |
| 24D     | CHEM MILL: TITANIUM ALY                  | COMMERCIAL PRACTICE                |
| 25B     | ANDZ, TYPE I - AL                        | MIL-A-8625, AMS 2470               |
| 25C     | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471               |
| 25D     | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472               |
| 25E     | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469               |
| 25H     | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473 |

|      |   |                                       |
|------|---|---------------------------------------|
| 25N  | PICKLE AND PASSIVATE                          | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25Q  | PHOSPHORIC ACID ANODIZING AL ALLOY FOR BOND   | BS 24554                              |
| 27F1 | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327                             |
| 27F3 | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327                             |
| 27G1 | FRMING/STRAIGHTENING AL ALY: COLD FORMING     | P1103                                 |
| 32A  | PAINT   | BS361                                 |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL   | MIL-F-18264                           |
| 32A9 | CORROSION INHIBIT ADHESIVE PRIMER             | BS23865                               |
| 32D  | PRIMER  | MIL-P-23377; MIL-PRF-23377            |
| 35B  | NDI: FLUORESCENT                              | ASTM E1417                            |
| 35B1 | NDI: CHEMICAL PRE-ETCH                        | BS25691                               |

TRIUMPH PROCESSING EMBEE DIVISION  
2136 S HATHAWAY ST  
SANTA ANA CA  
92705 714-546-9842

Vendor Code  
10099908

| QACode | Description                              | Specification                      |
|--------|--|------------------------------------|
| 25B    | ANDZ, TYPE I - AL                        | MIL-A-8625,AMS 2470                |
| 25C    | ANDZ, TYPE II - AL                       | MIL-A-8625, AMS 2471               |
| 25D    | SULFURIC ACID ANODIZE, CLASS 2 DYED - AL | MIL-A-8625, AMS 2472               |
| 25E    | HARD COAT ANODIZE, TYPE III - AL         | MIL-A-8625, AMS 2469               |
| 25F    | BLACK OXIDE CVRSN COAT- STL              | AMS 2485                           |
| 25F1   | BLACK OXIDE CVRSN COAT- STL              | MIL-C-13924, MIL-DTL-13924         |
| 25H    | CVRSN COAT, CLASS 1A-AL                  | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I    | CVRSN COAT, CLASS 3-AL                   | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25M    | SOLID FILM, LUBRICANT HEAT CURED         | MIL-PRF-46010                      |
| 25M1   | SOLID FILM, LUBRICANT AIR CURED          | MIL-L-23398                        |

|      |   |                                       |
|------|---|---------------------------------------|
| 25N  | PICKLE AND PASSIVATE                        | QQ-P-35, AMS 2700, BS4692, MIL-S-5002 |
| 25N1 | PASSIVATE:CORROSION RESIST STLS             | BS4692, ASTM A967                     |
| 25O  | PHOSPHATE CVRSN COAT-STL                    | AMS 2480, AMS 2481                    |
| 25P1 | MANGANESE PHOS - STL                        | MIL-DTL-16232                         |
| 28G  | STRESS RELIEF                               | BS25526                               |
| 28K  | EMBRITTELEMENT RELIEF                       | BS25526                               |
| 31A  | CD PL, BRUSH                                | MIL-STD-865, AMS 2451/4               |
| 31B  | CD PL, TYPE I,II                            | QQ-P-416, AMS 2400, AMS 2401          |
| 31C  | CD PL, TI: LOW HYDROGEN                     | MIL-STD-1500, AMS 2419                |
| 31D  | CD PL, VACUUM DEPOSITED                     | MIL-C-8837, AMS 2426                  |
| 31E  | CRPL, DECORATIVE                            | QQ-C-320                              |
| 31I  | NICKEL PL                                   | QQ-N-290, AMS 2403                    |
| 31J  | NICKEL, ELECTROLESS PLATE                   | MIL-C-26074                           |
| 32A  | PAINT                                       | BS361                                 |
| 32A2 | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                           |
| 32A5 | CORROSION RESIST FUEL CELL EPOXY PRIMER     | BS25032                               |
| 32A6 | FINISH PROC. FOR MODELS USING URETHANE      | BS22455                               |
| 32D  | PRIMER                                      | MIL-P-23377; MIL-PRF-23377            |
| 34C  | CHEMICAL SPECTROCHEMICAL ANALYSIS           | STANDARD PRACTICE                     |
| 34F  | HARDNESS                                    | TP1601                                |
| 35B  | NDI: FLUORESCENT                            | ASTM E1417                            |
| 35B1 | NDI: CHEMICAL PRE-ETCH                      | BS25691                               |
| 35C  | NDI: MAGNETIC PARTICLE                      | ASTM E1444                            |

TRIUMPH PROCESSING INC  
 2605 INDUSTRY WAY  
 LYNWOOD CA  
 90262 323-563-1338

Vendor Code  
 10099455

| QA Code | Description                                 | Specification                      |
|---------|---|------------------------------------|
| 25B     | ANDZ, TYPE I - AL                           | MIL-A-8625,AMS 2470                |
| 25C     | ANDZ, TYPE II - AL                          | MIL-A-8625, AMS 2471               |
| 25H     | CVRSN COAT, CLASS 1A-AL                     | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 25I     | CVRSN COAT, CLASS 3-AL                      | MIL-C-5541, MIL-DTL-5541, AMS 2473 |
| 32A     | PAINT                                       | BS361                              |
| 32A2    | PAINT:ORGANIC, WEAPONS SYS, APPLIC. & CNTRL | MIL-F-18264                        |
| 32A5    | CORROSION RESIST FUEL CELL EPOXY PRIMER     | BS25032                            |
| 32D     | PRIMER                                      | MIL-P-23377; MIL-PRF-23377         |
| 34F     | HARDNESS                                    | TP1601                             |
| 35B     | NDI: FLUORESCENT                            | ASTM E1417                         |
| 35B1    | NDI: CHEMICAL PRE-ETCH                      | BS25691                            |
| 3D      | HARDNESS TESTING                            | BAEP9226                           |
| 3J      | CONDUCTIVITY TESTING                        | MIL-STD-1537                       |

TRIUMPH STRUCTURES LOS ANGELES  
 17055 EAST GALE AVENUE  
 CITY OF INDUSTRY CA  
 91745 626-965-2407

Vendor Code  
 10129589

| QA Code | Description                                   | Specification |
|---------|---|---------------|
| 27F1    | FORMING AL ALLOYS: AMBIENT FORMING            | BS 311327     |
| 27F2    | FORMING AL ALLOYS: HOT FORMING                | BS 311327     |
| 27F3    | FORMING AL ALLOYS: STRAIGHTENING AND ALIGNING | BS 311327     |

TUBE METHODS  
416 DEPOT ST  
BRIDGEPORT PA  
19405 610-279-7700

Vendor Code  
10130074

| QA Code | Description              | Specification |
|---------|--------------------------|---------------|
| 34F     | HARDNESS                 | TP1601        |
| 34G     | MECHANICAL               | ASTM E8       |
| 34H     | METALLURGICAL            | AS REQUIRED   |
| 34K     | SPECTROCHEMICAL ANALYSIS | AS REQUIRED   |
| 34L     | WET SOLUTION ANALYSIS    | AS REQUIRED   |

UNIVERSAL ALLOY CORP  
2871 JOHN BALL  
ANAHEIM CA  
92806 714-630-7200

Vendor Code  
10012430

| QA Code | Description         | Specification |
|---------|---------------------|---------------|
| 28C2    | HT: AL ALY, WROUGHT | TP1102        |
| 34G     | MECHANICAL          | ASTM E8       |
| 34H     | METALLURGICAL       | AS REQUIRED   |

UNIVERSAL ALLOY CORP  
180 LAMAR HALEY PKWY  
CANTON GA  
30114 770-479-7230

Vendor Code  
10093898

| QA Code | Description     | Specification              |
|---------|-----------------|----------------------------|
| 35E     | NDI: ULTRASONIC | MIL-STD-2154, AMS-STD-2154 |

UNIVERSAL STEELS & ALUMINUM  
UNIT 7 CRANFIELD ROAD  
BOLTON  
120-466-9356

Vendor Code  
10054112

| QA Code | Description                      | Specification |
|---------|----------------------------------|---------------|
| 12W     | DE-OXIDATION OF ALUMINIUM ALLOYS | BAEP9225      |
| 3D      | HARDNESS TESTING                 | BAEP9226      |
| 3J1     | CONDUCTIVITY TESTING             | BAEP9088      |
| 4A      | CHROMIC ACID ANODIZING           | BAEP0002      |

|     |                                       |          |
|-----|---------------------------------------|----------|
| 4I  | FLEXIBLE PERMEABLE PAINTING           | BAEP3528 |
| 4R  | ALOCROM 1200                          | BAEP0004 |
| 4T  | APPLICATION OF PRIMER                 | BAEP3527 |
| 4ZF | APPLICATION OF POLYURETHANE FINISH    | BAEP3504 |
| 5A  | ANNEALING (ALUMINUM ALLOYS)           | BAEP9006 |
| 5B  | SOLUTION TREATMENT (ALUMINIUM ALLOYS) | BAEP9006 |
| 5C  | PRECIPITATION (ALUMINIUM ALLOYS)      | BAEP9006 |
| 5D  | PRE-AGEING (ALUMINIUM ALLOYS)         | BAEP9006 |
| 5L  | STRESS RELIEVING (ALUMINIUM ALLOYS)   | BAEP9006 |

|   |  |                         |
|---|--|-------------------------|
| V&M PLATING CO<br>14024 S AVALON BLVD<br>LOS ANGELES CA<br>90061 310-532-5633 |  | Vendor Code<br>10090310 |
|---|--|-------------------------|

| QA Code | Description      | Specification      |
|---------|------------------|--------------------|
| 31E     | CRPL, DECORATIVE | QQ-C-320           |
| 31F     | CRPL, HARD       | QQ-C-320, AMS 2406 |

|  |  |                         |
|--|--|-------------------------|
| VALCO MANUFACTURING<br>925 BOREN BLVD<br>DUNCAN OK<br>73533 580-255-4300 |  | Vendor Code<br>10121772 |
|--|--|-------------------------|

| QA Code | Description         | Specification |
|---------|---------------------|---------------|
| 28C2    | HT: AL ALY, WROUGHT | TP1102        |

|   |  |                         |
|---|--|-------------------------|
| VITRON MANUFACTURING<br>18008A N BLACK CANYON HWY<br>PHOENIX AZ<br>85053 602-548-9661 |  | Vendor Code<br>10124852 |
|---|--|-------------------------|

| QA Code | Description                | Specification   |
|---------|----------------------------|-----------------|
| 30H     | LASER BEAM MACHINING (LBM) | LBM - AS 7116/4 |

|  |  |                         |
|--|--|-------------------------|
| WALLWORK HEAT TREATMENT LTD<br>LORD STREET<br>BURY<br>0161 7979111 |  | Vendor Code<br>10130241 |
|--|--|-------------------------|

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|

|      |   |                                      |
|------|---|--------------------------------------|
| 28A0 | HT-ALLOY STEELS                               | MIL-H-6875, AMS-H-6875, AMS 2759/1/2 |
| 28O1 | HT: NITRIDING                                 | AMS 2759/6                           |
| 3D   | HARDNESS TESTING                              | BAEP9226                             |
| 5E   | ANNEALING (FERROUS ALLOYS)                    | BAEP9008                             |
| 5F   | CASE HARDENING (FERROUS ALLOYS)               | BAEP9008                             |
| 5G   | HARDENING AND TEMPERING (FERROUS ALLOYS)      | BAEP9008                             |
| 5H   | NITRIDING (FERROUS ALLOYS)                    | BAEP4509                             |
| 5J   | MARTEMpering (FERROUS ALLOYS)                 | BAEP9008                             |
| 5K   | NORMALISING (FERROUS ALLOYS)                  | BAEP9008                             |
| 5M   | PRECIPITATION HARDENING (FERROUS ALLOYS)      | BAEP9008                             |
| 5N   | STRESS RELIEVING OF FERROUS ALLOYS            | BAEP9009                             |
| 5U   | STRESS RELIEVING (TITANIUM & TITANIUM ALLOYS) | BAEP9007                             |
| 5Y   | VACUUM HEAT TREATMENT                         | BAEP9008                             |

WESTERN AEROSPACE INSPECTION INC  
1376 WALTER ST STE D7  
VENTURA CA  
93003 805-644-3882

Vendor Code  
10090308

| QA Code | Description                      | Specification           |
|---------|----------------------------------|-------------------------|
| 35B     | NDI: FLUORESCENT                 | ASTM E1417              |
| 35B1    | NDI: CHEMICAL PRE-ETCH           | BS25691                 |
| 35C     | NDI: MAGNETIC PARTICLE           | ASTM E1444              |
| 35D     | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742 |
| XRI     | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742             |

WESTMORELAND MECHANICAL  
221 WESTMORELAND DR  
YOUNGSTOWN PA  
15696 724-537-3131

Vendor Code  
10081322

| QA Code | Description | Specification |
|---------|-------------|---------------|
|---------|-------------|---------------|



|     |  |             |
|-----|--|-------------|
| 34D | FRACTURE TOUGHNESS                       | ASTM E399   |
| 34E | HARDNESS, MICRO                          | ASTM E384   |
| 34F | HARDNESS                                 | TP1601      |
| 34G | MECHANICAL                               | ASTM E8     |
| 34H | METALLURGICAL                            | AS REQUIRED |
| 34J | SALT SPRAY                               | ASTM B117   |
| 34K | SPECTROCHEMICAL ANALYSIS                 | AS REQUIRED |
| 34L | WET SOLUTION ANALYSIS                    | AS REQUIRED |
| 8S  | MECHANICAL TESTING OF METALLIC MATERIALS | .N/A        |

WYMAN-GORDON INVESTMENT CASTING  
2738 COMMERCE WAY  
OGDEN UT  
84401 801-627-1660

Vendor Code  
10012277

| QA Code | Description                     | Specification                         |
|---------|---------------------------------|---------------------------------------|
| 28A0    | HT-ALLOY STEELS                 | MIL-H-6875, AMS-H-6875, AMS 2759/1/2  |
| 28A1    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A2    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875,AMS-H-6875, CL-B           |
| 28A3    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-C           |
| 28A4    | HT:STAINLESS & PH STAINLESS STL | MIL-H-6875, AMS-H-6875 CL-D           |
| 28A5    | HT:STAINLESS & PH STAINLESS STL | AMS 2759/3                            |
| 28A6    | HT:STAINLESS & PH STAINLESS STL | AMS 2759/4                            |
| 28A7    | HT:STAINLESS MARTENSITIC STL    | AMS 2759/5                            |
| 28B1    | HT: HT: AL ALY, CAST            | TP1103                                |
| 28B2    | HT: AL ALY, CAST                | TP1103                                |
| 28EA    | HT: ALLOY STEELS                | MIL-H-6875,AMS-H-6875, AMS 2759/3/4/5 |
| 28M3    | HT: STL ANNEALING&NORMALIZING   | MIL-H-6875 CL-A & AMS-H-6875 CL-A     |

|      |                                  |                         |
|------|----------------------------------|-------------------------|
| 35B  | NDI: FLUORESCENT                 | ASTM E1417              |
| 35B1 | NDI: CHEMICAL PRE-ETCH           | BS25691                 |
| 35C  | NDI: MAGNETIC PARTICLE           | ASTM E1444              |
| 35D  | NDI: RADIOGRAPHIC                | MIL-STD-453, ASTM E1742 |
| 36   | WELDER QUALIFICATION             | MIL-STD-1595, AWS D17.1 |
| 36A  | WLDG: ELECTRON BEAM              | AMS 2681, BS 4896       |
| 36B1 | WLDG: FUSION - AL ALY            | BS 510                  |
| 36B2 | WLDG: FUSION - AL ALY            | MIL-STD-2219            |
| 36D1 | WLDG: FUSION - STEEL ALY         | BS 511                  |
| 36D2 | WLDG: FUSION - STEEL ALY         | AMS-STD-2219            |
| XRI  | X-RAY INTERPRETATION OF CASTINGS | ASTM E 1742             |